

# Paramedical S.r.l.

## Sections

### INTERCHANGEABLE GLASSWARE



### VOLUMETRIC GLASSWARE



### SEPARATING FUNNELS



### CONDENSERS / ASSEMBLIES

### GENERAL GLASSWARE




Paramedical S.r.l.

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



Separator  
Front



**INTERCHANGEABLE GLASSWARE**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



**INTERCHANGEABLE GLASSWARE**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.

## Standard Joints

### Sockets: Single

| Cat. No.   | Socket | Approx. O.D. of tube mm. | Minimum Shank Length mm |
|------------|--------|--------------------------|-------------------------|
| 001.202.01 | 7/16   | 10                       | 100                     |
| 001.202.02 | 10/19  | 13                       | 100                     |
| 001.202.03 | 12/21  | 16                       | 100                     |
| 001.202.04 | 14/23  | 18                       | 100                     |
| 001.202.05 | 19/26  | 22                       | 100                     |
| 001.202.06 | 24/29  | 28                       | 100                     |
| 001.202.07 | 29/32  | 32                       | 100                     |
| 001.202.08 | 34/35  | 38                       | 100                     |
| 001.202.09 | 40/38  | 45                       | 100                     |
| 001.202.10 | 45/40  | 50                       | 100                     |
| 001.202.11 | 50/42  | 55                       | 100                     |
| 001.202.12 | 55/44  | 60                       | 100                     |



### Cones: Single

| Cat. No.   | Cone  | Approx. O.D. of tube mm. | Minimum Shank Length mm |
|------------|-------|--------------------------|-------------------------|
| 002.202.01 | 7/16  | 6                        | 90                      |
| 002.202.02 | 10/19 | 8                        | 90                      |
| 002.202.03 | 12/21 | 9                        | 90                      |
| 002.202.04 | 14/23 | 13                       | 90                      |
| 002.202.05 | 19/26 | 16                       | 90                      |
| 002.202.06 | 24/29 | 22                       | 90                      |
| 002.202.07 | 29/32 | 26                       | 90                      |
| 002.202.08 | 34/35 | 30                       | 90                      |
| 002.202.09 | 40/38 | 36                       | 90                      |
| 002.202.10 | 45/40 | 40                       | 90                      |
| 002.202.11 | 50/42 | 45                       | 90                      |
| 002.202.12 | 55/44 | 50                       | 90                      |



### Cones: with tip Single

| Cat. No.   | Cone  | Approx. O.D. of tube mm. | Minimum Shank Length mm |
|------------|-------|--------------------------|-------------------------|
| 003.202.01 | 7/16  | 6                        | 90                      |
| 003.202.02 | 10/19 | 8                        | 90                      |
| 003.202.03 | 12/21 | 9                        | 90                      |
| 003.202.04 | 14/23 | 13                       | 90                      |
| 003.202.05 | 19/26 | 16                       | 90                      |
| 003.202.06 | 24/29 | 22                       | 90                      |
| 003.202.07 | 29/32 | 26                       | 90                      |
| 003.202.08 | 34/35 | 30                       | 90                      |
| 003.202.09 | 40/38 | 36                       | 90                      |
| 003.202.10 | 45/40 | 40                       | 90                      |
| 003.202.11 | 50/42 | 45                       | 90                      |
| 003.202.12 | 55/44 | 50                       | 90                      |



# Paramedical S.r.l.

## Standard Joints



### Sockets: Full length Single

| Cat. No.   | Socket size | Approx. O.D. of tube mm. | Minimum Shank Length mm |
|------------|-------------|--------------------------|-------------------------|
| 004.202.01 | 5/20        | 8                        | 100                     |
| 004.202.02 | 7/25        | 10                       | 100                     |
| 004.202.03 | 10/30       | 13                       | 100                     |
| 004.202.04 | 12/32       | 16                       | 100                     |
| 004.202.05 | 14/35       | 18                       | 100                     |
| 004.202.06 | 19/38       | 22                       | 100                     |
| 004.202.07 | 24/40       | 28                       | 100                     |
| 004.202.08 | 29/42       | 32                       | 100                     |
| 004.202.09 | 34/45       | 38                       | 100                     |
| 004.202.10 | 45/50       | 50                       | 100                     |



### Cone Full Length Plain End Single

| Cat. No.   | Cone size | Approx. O.D. of tube mm. | Minimum Shank Length mm |
|------------|-----------|--------------------------|-------------------------|
| 005.202.01 | 5/20      | 4                        | 90                      |
| 005.202.02 | 7/25      | 6                        | 90                      |
| 005.202.03 | 10/30     | 8                        | 90                      |
| 005.202.04 | 12/32     | 10                       | 90                      |
| 005.202.05 | 14/35     | 13                       | 90                      |
| 005.202.06 | 19/38     | 16                       | 90                      |
| 005.202.07 | 24/40     | 22                       | 90                      |
| 005.202.08 | 29/42     | 26                       | 90                      |
| 005.202.09 | 34/45     | 30                       | 90                      |
| 005.202.10 | 45/50     | 40                       | 90                      |



### Sockets: Double

| Cat. No.   | Socket size | Min. Shank Length mm. | Max. outside diameter of Shank mm. |
|------------|-------------|-----------------------|------------------------------------|
| 006.202.01 | 7/16        | 85                    | 11                                 |
| 006.202.02 | 10/19       | 85                    | 14                                 |
| 006.202.03 | 14/23       | 85                    | 18                                 |
| 006.202.04 | 19/26       | 85                    | 22                                 |
| 006.202.05 | 24/29       | 100                   | 28                                 |
| 006.202.06 | 29/32       | 100                   | 32                                 |
| 006.202.07 | 34/35       | 100                   | 38                                 |

# Paramedical S.r.l.

## Standard Joints

### Cone: Plain Double

| Cat. No.   | Cone size | Min. Shank Length mm. | Max. outside diameter of Shank mm. |
|------------|-----------|-----------------------|------------------------------------|
| 007.202.01 | 10/19     | 50                    | 8                                  |
| 007.202.02 | 14/23     | 80                    | 13                                 |
| 007.202.03 | 19/26     | 80                    | 16                                 |
| 007.202.04 | 24/29     | 95                    | 22                                 |
| 007.202.05 | 29/32     | 100                   | 26                                 |
| 007.202.06 | 34/35     | 150                   | 30                                 |

PS : Cone with Tip can be provided on request.



### Spherical Joint: Ball

| Cat. No.   | Cup Joint (male) | Approx. Bore | Min. Shank Length mm. |
|------------|------------------|--------------|-----------------------|
| 008.202.02 | S13              | 5            | 100                   |
| 008.202.03 | S19              | 9            | 100                   |
| 008.202.04 | S29              | 15           | 100                   |
| 008.202.05 | S35              | 19           | 100                   |
| 008.202.06 | S41              | 27           | 100                   |



### Spherical Joint: Cup

| Cat. No.   | Cup Joint (female) | Approx. Bore | Min. Shank Length mm. |
|------------|--------------------|--------------|-----------------------|
| 009.202.02 | S13                | 5            | 100                   |
| 009.202.03 | S19                | 9            | 100                   |
| 009.202.04 | S29                | 13           | 100                   |
| 009.202.05 | S35                | 19           | 100                   |
| 009.202.06 | S41                | 27           | 100                   |



### Joint Clips: Metal

| Cat. No.   | To fit spherical joint size | To fit flat flange joint size |
|------------|-----------------------------|-------------------------------|
| 010.202.01 | S 13                        | -                             |
| 010.202.02 | S 19                        | -                             |
| 010.202.03 | S 29                        | -                             |
| 010.202.04 | S 35                        | -                             |
| 010.202.05 | S 41                        | -                             |



# Paramedical S.r.l.

## Stoppers



**Stopper: Hollow with Flat bottom**

| Cat. No.    | N/S   | Shape     |
|-------------|-------|-----------|
| 011.202.01  | 10/19 | Hexagonal |
| 011.202.02  | 12/21 | -         |
| 011.202.02A | 14/23 | -         |
| 011.202.03  | 19/26 | -         |
| 011.202.04  | 24/29 | -         |
| 011.202.05  | 29/32 | -         |
| 011.202.06  | 34/35 | -         |



**Stopper: Hollow with Tip shape Hexagonal**

| Cat. No.   | Cone  | Shape     |
|------------|-------|-----------|
| 011.205.01 | 10/19 | Hexagonal |
| 011.205.02 | 12/21 | -         |
| 011.205.03 | 14/23 | -         |
| 011.205.04 | 19/26 | -         |
| 011.205.05 | 24/29 | -         |
| 011.205.06 | 29/32 | -         |
| 011.205.07 | 34/35 | -         |



**Stopper, Solid: Penny or Flat Head**

| Cat. No.   | Cone  |
|------------|-------|
| 012.202.01 | 10/19 |
| 012.202.02 | 14/23 |
| 012.202.03 | 19/26 |
| 012.202.04 | 24/29 |
| 012.202.05 | 29/32 |
| 012.202.06 | 34/35 |



### Reduction: Adapters

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 013.202.01  | 14/23       | 14/23     |
| 013.202.01A | 14/23       | 19/26     |
| 013.202.02  | 14/23       | 24/29     |
| 013.202.03  | 14/23       | 29/32     |
| 013.202.04  | 19/26       | 24/29     |
| 013.202.05  | 19/26       | 29/32     |
| 013.202.06  | 19/26       | 34/35     |
| 013.202.07  | 19/26       | 40/38     |
| 013.202.08  | 19/26       | 45/40     |
| 013.202.09  | 19/26       | 55/44     |
| 013.202.10  | 24/29       | 29/32     |
| 013.202.11  | 24/29       | 34/35     |
| 013.202.12  | 24/29       | 40/38     |
| 013.202.13  | 24/29       | 45/40     |
| 013.202.14  | 24/29       | 50/42     |
| 013.202.15  | 24/29       | 55/44     |
| 013.202.16  | 29/32       | 34/35     |
| 013.202.17  | 29/32       | 40/38     |
| 013.202.18  | 29/32       | 45/40     |
| 013.202.19  | 34/35       | 40/38     |
| 013.202.20  | 34/35       | 45/40     |
| 013.202.21  | 34/35       | 50/42     |



### Expansion Adapters

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 014.202.01  | 19/26       | 14/23     |
| 014.202.02  | 24/29       | 14/23     |
| 014.202.03  | 24/29       | 19/26     |
| 014.202.03A | 29/32       | 14/23     |
| 014.202.04  | 29/32       | 19/26     |
| 014.202.05  | 29/32       | 24/29     |
| 014.202.06  | 34/35       | 19/26     |
| 014.202.07  | 34/35       | 24/29     |
| 014.202.08  | 34/35       | 29/32     |
| 014.202.09  | 40/38       | 24/29     |
| 014.202.10  | 45/40       | 29/32     |



### Multiple Adapters, with Two Necks Parallel

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 015.202.01  | 14/23       | 14/23     |
| 015.202.01A | 14/23       | 19/26     |
| 015.202.02  | 19/26       | 19/26     |
| 015.202.03  | 19/26       | 24/29     |
| 015.202.04  | 24/29       | 24/29     |
| 015.202.05  | 19/26       | 34/35     |
| 015.202.06  | 29/32       | 29/32     |

# Paramedical S.r.l.

## Adapters



**Multiple Adapters, with Two Necks one vertical & one at 45°**

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 016.202.01  | 14/23       | 14/23     |
| 016.202.01A | 14/23       | 19/26     |
| 016.202.01B | 14/23       | 24/29     |
| 016.202.02  | 19/26       | 19/26     |
| 016.202.03  | 19/26       | 24/29     |
| 016.202.04  | 14/23       | 29/32     |
| 016.202.05  | 29/32       | 29/32     |



**Multiple Adapters, with three Necks, Two Parallel and one at 45°**

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 017.202.01  | 19/26       | 19/26     |
| 017.202.01A | 19/26       | 24/29     |
| 017.202.02  | 19/26       | 29/32     |
| 017.202.03  | 24/29       | 24/29     |
| 017.202.04  | 29/32       | 29/32     |
| 017.202.05  | 29/32       | 29/30     |



**Swan Neck Adapters.**

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 018.202.01  | 14/23       | 19/26     |
| 018.202.01A | 19/26       | 19/26     |
| 018.202.02  | 19/26       | 24/29     |
| 018.202.03  | 24/29       | 24/29     |
| 018.202.04  | 29/32       | 29/32     |

# Paramedical S.r.l.

## Adapters

### Receiver Delivery Adapters.

#### Short Stem

| Cat. No.   | Socket Size | Approx. length mm |
|------------|-------------|-------------------|
| 019.202.01 | 14/23       | 65                |
| 019.202.02 | 19/26       | 65                |
| 019.202.03 | 24/29       | 65                |
| 019.202.04 | 29/32       | 65                |

#### Long Stem

| Cat. No.   | Socket Size | Approx. length mm |
|------------|-------------|-------------------|
| 019.202.05 | 14/23       | 190               |
| 019.202.06 | 19/26       | 200               |
| 019.202.07 | 24/29       | 200               |
| 019.202.08 | 29/32       | 200               |



### Receiver Adapters Straight.

| Cat. No.   | Socket Size |
|------------|-------------|
| 020.202.01 | 14/23       |
| 020.202.02 | 19/26       |
| 020.202.03 | 24/29       |
| 020.202.04 | 29/32       |



### Receiver Adapters Bend with Vent.

| Cat. No.   | Socket Size | Cone Size |
|------------|-------------|-----------|
| 021.202.01 | 14/23       | 14/23     |
| 021.202.02 | 19/26       | 19/26     |
| 021.202.03 | 19/26       | 24/29     |
| 021.202.04 | 24/29       | 24/29     |
| 021.202.05 | 29/32       | 29/32     |



# Paramedical S.r.l.

## Adapters



### Receiver Adapters, Straight with Vacuum connection

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 022.202.01  | 14/23       | 14/23     |
| 022.202.02  | 14/23       | 19/26     |
| 022.202.02A | 19/26       | 19/26     |
| 022.202.03  | 19/26       | 24/29     |
| 022.202.04  | 24/29       | 24/29     |
| 022.202.05  | 24/29       | 29/32     |
| 022.202.06  | 29/32       | 29/32     |



### Receiver Adapters, Bend with Vacuum connection

| Cat. No.   | Socket Size | Cone Size |
|------------|-------------|-----------|
| 022.201.01 | 14/23       | 14/23     |
| 022.201.02 | 14/23       | 19/26     |
| 022.201.03 | 19/26       | 19/26     |
| 022.201.04 | 19/26       | 24/29     |
| 022.201.05 | 24/29       | 24/29     |
| 022.201.06 | 24/29       | 29/32     |
| 022.201.07 | 29/32       | 29/32     |



### Receiver Adapters, Inclined at an angle 105°.

| Cat. No.   | Socket Size | Cone Size |
|------------|-------------|-----------|
| 023.202.01 | 14/23       | 14/23     |
| 023.202.02 | 19/26       | 19/26     |
| 023.202.03 | 19/26       | 24/29     |
| 023.202.04 | 24/29       | 24/29     |
| 023.202.05 | 29/32       | 29/32     |

# Paramedical S.r.l.

## Adapters

**Receiver Adapters, With Multiple connection.**

| Cat. No.   | Socket Size | Cone Size |
|------------|-------------|-----------|
| 024.202.01 | 14/23       | 14/23     |
| 024.202.02 | 14/23       | 19/26     |
| 024.202.03 | 19/26       | 19/26     |



**Receiver Adapters, Plain Bend.**

| Cat. No.    | Socket Size | Cone Size |
|-------------|-------------|-----------|
| 025.202.00  | 14/23       | 14/23     |
| 025.202.00A | 14/23       | 19/26     |
| 025.202.01  | 19/26       | 19/26     |
| 025.202.02  | 19/26       | 24/29     |
| 025.202.03  | 24/29       | 24/29     |
| 025.202.04  | 29/32       | 29/32     |



**Recovery Bend, Sloping.**

| Cat. No.   | Cone Size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 026.202.01 | 14/23                  | 14/23                      |
| 026.202.02 | 24/29                  | 14/23                      |
| 026.202.03 | 19/26                  | 19/26                      |
| 026.202.04 | 24/29                  | 19/26                      |
| 026.202.05 | 29/32                  | 19/26                      |
| 026.202.06 | 29/32                  | 29/32                      |
| 026.202.07 | 24/29                  | 24/29                      |
| 026.202.08 | 34/35                  | 24/29                      |
| 026.202.09 | 29/32                  | 24/29                      |
| 026.202.10 | 34/35                  | 34/35                      |



# Paramedical S.r.l.

## Adapters



**Receiver Bend, Vertical.**

| Cat. No.   | Cone Size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 027.202.01 | 14/23                  | 14/23                      |
| 027.202.02 | 19/26                  | 19/26                      |
| 027.202.03 | 24/29                  | 19/26                      |
| 027.202.04 | 24/29                  | 24/29                      |
| 027.202.05 | 29/32                  | 29/32                      |



**Still Head Plain with thermometer socket**

| Cat. No.   | Socket Size | Cone size to fit flask | Cone size to fit condenser |
|------------|-------------|------------------------|----------------------------|
| 028.202.01 | 14/23       | 14/23                  | 14/23                      |
| 028.202.02 | 14/23       | 19/26                  | 19/26                      |
| 028.202.03 | 14/23       | 24/29                  | 19/26                      |
| 028.202.04 | 14/23       | 29/32                  | 19/26                      |
| 028.202.05 | 14/23       | 34/35                  | 19/26                      |
| 028.202.06 | 14/23       | 24/29                  | 24/29                      |
| 028.202.07 | 14/23       | 34/35                  | 24/29                      |
| 028.202.08 | 14/23       | 29/32                  | 24/29                      |
| 028.202.09 | 14/23       | 29/32                  | 29/32                      |
| 028.202.10 | 14/23       | 34/35                  | 29/32                      |



**Claisen Heads, Sloping With 2xB14 Socket .**

| Cat. No.   | Socket Size | Cone size to fit flask | Cone size to fit condenser |
|------------|-------------|------------------------|----------------------------|
| 029.202.01 | 14/23       | 14/23                  | 14/23                      |
| 029.202.02 | 14/23       | 19/26                  | 19/26                      |
| 029.202.03 | 14/23       | 24/29                  | 19/26                      |
| 029.202.04 | 14/23       | 24/29                  | 24/29                      |
| 029.202.05 | 14/23       | 29/32                  | 29/32                      |
| 029.202.06 | 14/23       | 34/35                  | 24/29                      |

### Splash Heads, Vertical.

| Cat. No.   | Cone size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 030.202.01 | 14/23                  | 14/23                      |
| 030.202.02 | 19/26                  | 24/29                      |
| 030.202.03 | 29/32                  | 29/32                      |



### Splash Heads, Pear shape Vertical.

| Cat. No.   | Cone size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 031.202.01 | 14/23                  | 14/23                      |
| 031.202.02 | 19/26                  | 19/26                      |
| 031.202.03 | 24/29                  | 19/26                      |
| 031.202.04 | 24/29                  | 24/29                      |
| 031.202.05 | 29/32                  | 29/32                      |



### Splash Heads, Pear shape Sloping.

| Cat. No.   | Cone size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 032.202.01 | 14/23                  | 14/23                      |
| 032.202.02 | 19/26                  | 19/26                      |
| 032.202.03 | 24/29                  | 19/26                      |
| 032.202.04 | 24/29                  | 24/29                      |
| 032.202.05 | 29/32                  | 29/32                      |



# Paramedical S.r.l.

## Adapters



### Steam Distillation Heads, Sloping.

| Cat. No.   | Cone size to fit flask | Cone size to fit condenser |
|------------|------------------------|----------------------------|
| 033.202.01 | 24/29                  | 19/26                      |
| 033.202.02 | 34/35                  | 19/26                      |
| 033.202.03 | 34/35                  | 24/29                      |



### Adapter cone to Rubber Tubing, Right angle connection, with Glass Stopcock.

| Cat. No.   | Cone  |
|------------|-------|
| 034.202.01 | 14/23 |
| 034.202.02 | 19/26 |
| 034.202.03 | 24/29 |
| 034.202.04 | 29/32 |

#### Optional:

- (1) The above adaptors can also be supplied with PTFE KEY STOPCOCK.
- (2) The above adaptors can also be supplied with Straight Connection. Please ask for prices separately.



### Adapter Socket to Rubber Tubing, Straight with Glass Stopcock.

| Cat. No.   | Socket |
|------------|--------|
| 035.202.01 | 14/23  |
| 035.202.02 | 19/26  |
| 035.202.03 | 24/29  |
| 035.202.04 | 29/32  |

#### Optional:

- (1) The above adaptors can also be supplied with PTFE KEY STOPCOCK.
- (2) The above adaptors can also be supplied with Right Angle Connection. Please ask for prices separately.



# Paramedical S.r.l.

## Adapters

**Adapter Cone to Rubber Tubing**  
right angle connection.

| Cat. No.   | Cone  |
|------------|-------|
| 036.202.01 | 14/23 |
| 036.202.02 | 19/26 |
| 036.202.03 | 24/29 |
| 036.202.04 | 29/32 |

Optional: The above adapters can also be supplied with Straight Connection.



**Adapter Cone with stem to Rubber Tubing,**  
Right angle connection.

| Cat. No.   | Cone  |
|------------|-------|
| 037.202.01 | 14/23 |
| 037.202.02 | 19/26 |
| 037.202.03 | 24/29 |
| 037.202.04 | 29/32 |



**Adapter Sockets to Rubber Tubing,**  
straight connection.

| Cat. No.   | Socket |
|------------|--------|
| 038.202.01 | 14/23  |
| 038.202.02 | 19/26  |
| 038.202.03 | 24/29  |
| 038.202.04 | 29/32  |



# Paramedical S.r.l.

## Adapters



### Adapters Socket to cone with Tee Connection

| Cat. No.   | Socket | Cone  |
|------------|--------|-------|
| 039.202.01 | 14/23  | 14/23 |
| 039.202.02 | 14/23  | 19/26 |
| 039.202.03 | 14/23  | 24/29 |
| 039.202.04 | 14/23  | 29/32 |
| 039.202.05 | 19/26  | 19/26 |
| 039.202.06 | 19/26  | 24/29 |
| 039.202.07 | 19/26  | 29/32 |
| 039.202.08 | 24/29  | 24/29 |
| 039.202.09 | 24/29  | 29/32 |
| 039.202.10 | 29/32  | 29/32 |



### U Tube, with two sockets.

| Cat. No.   | Socket |
|------------|--------|
| 040.202.01 | 14/23  |
| 040.202.02 | 19/26  |



### Drying Tube.

| Cat. No.   | Cone  |
|------------|-------|
| 041.202.01 | 14/23 |
| 041.202.02 | 19/26 |
| 041.202.03 | 24/29 |
| 041.202.04 | 29/32 |

### Thermometer Pocket

| Cat. No.   | Cone  | Approx. Stem Length |
|------------|-------|---------------------|
| 042.202.01 | 14/23 | 45 mm               |
| 042.202.02 | 19/26 | 45 mm               |



### Air Leak Tube/Gas Inlet Tube

| Cat. No.   | Cone  |
|------------|-------|
| 044.202.01 | 14/23 |
| 044.202.02 | 19/26 |
| 044.202.03 | 24/29 |
| 044.202.04 | 29/32 |




### Simple Glands with cap

| Cat. No.   | To fit Stirrer Shaft | Cone  |
|------------|----------------------|-------|
| 056.202.01 | 6mm                  | 14/23 |
| 056.202.02 | 6mm                  | 19/26 |
| 056.202.03 | 6mm                  | 24/29 |
| 056.202.04 | 6mm                  | 29/32 |

PS: All kind of Adapters can also be provided with Plastic Hose Connectors instead of Glass Hose Connectors.

Please see the Photo below. For ordering these adapters please ask for prices separately and mark the product as SC.



# Paramedical S.r.l.

## Flasks

### Flask Round Bottom, Single Neck DIN 12348 Medium

| Cat. No.    | Nominal capacity ml | Socket size | Approx. overall height mm. | Dia mm |
|-------------|---------------------|-------------|----------------------------|--------|
| 057.202.02  | 5                   | 14/23       | 65                         | 27     |
| 057.202.04  | 10                  | 14/23       | 65                         | 33     |
| 057.202.05  | 25                  | 14/23       | 85                         | 41     |
| 057.202.06  | 25                  | 19/26       | 85                         | 41     |
| 057.202.07  | 25                  | 24/29       | 85                         | 41     |
| 057.202.08  | 50                  | 14/23       | 105                        | 51     |
| 057.202.09  | 50                  | 19/26       | 105                        | 51     |
| 057.202.10  | 50                  | 24/29       | 105                        | 51     |
| 057.202.10A | 50                  | 29/32       | 105                        | 51     |
| 057.202.11  | 100                 | 14/23       | 115                        | 64     |
| 057.202.12  | 100                 | 19/26       | 115                        | 64     |
| 057.202.13  | 100                 | 24/29       | 115                        | 64     |
| 057.202.14  | 100                 | 29/32       | 115                        | 64     |
| 057.202.16  | 150                 | 19/26       | 120                        | 74     |
| 057.202.17  | 150                 | 24/29       | 120                        | 74     |
| 057.202.18  | 150                 | 29/32       | 120                        | 74     |
| 057.202.20  | 250                 | 14/23       | 145                        | 85     |
| 057.202.21  | 250                 | 19/26       | 145                        | 85     |
| 057.202.22  | 250                 | 24/29       | 145                        | 85     |
| 057.202.23  | 250                 | 29/32       | 145                        | 85     |
| 057.202.24  | 250                 | 34/35       | 145                        | 85     |
| 057.202.25  | 500                 | 19/26       | 175                        | 105    |
| 057.202.26  | 500                 | 24/29       | 175                        | 105    |
| 057.202.27  | 500                 | 29/32       | 175                        | 105    |
| 057.202.28  | 500                 | 34/35       | 175                        | 105    |
| 057.202.29  | 1000                | 19/26       | 210                        | 131    |
| 057.202.30  | 1000                | 24/29       | 210                        | 131    |
| 057.202.31  | 1000                | 29/32       | 210                        | 131    |
| 057.202.32  | 1000                | 34/35       | 210                        | 131    |
| 057.202.33  | 2000                | 24/29       | 260                        | 166    |
| 057.202.34  | 2000                | 29/32       | 260                        | 166    |
| 057.202.35  | 2000                | 34/35       | 260                        | 166    |



PS: If you need flasks in short & long height please mention separately

# Paramedical S.r.l.

## Flasks

### Flasks Flat Bottom, Single neck DIN 12348 Medium

| Cat. No.    | Nominal capacity ml | Socket size | Approx. overall height mm. | Dia mm |
|-------------|---------------------|-------------|----------------------------|--------|
| 058.202.01  | 50                  | 19/26       | 90                         | 51     |
| 058.202.02  | 50                  | 24/29       | 90                         | 51     |
| 058.202.02A | 50                  | 29/32       | 90                         | 51     |
| 058.202.03  | 100                 | 19/26       | 110                        | 64     |
| 058.202.04  | 100                 | 24/29       | 110                        | 50     |
| 058.202.05  | 100                 | 29/32       | 110                        | 64     |
| 058.202.07  | 150                 | 19/26       | 115                        | 74     |
| 058.202.08  | 150                 | 24/29       | 115                        | 74     |
| 058.202.09  | 150                 | 29/32       | 115                        | 74     |
| 058.202.11  | 250                 | 19/26       | 140                        | 85     |
| 058.202.12  | 250                 | 24/29       | 140                        | 85     |
| 058.202.13  | 250                 | 29/32       | 140                        | 85     |
| 058.202.14  | 250                 | 34/35       | 140                        | 85     |
| 058.202.15  | 500                 | 19/26       | 170                        | 105    |
| 058.202.16  | 500                 | 24/29       | 170                        | 105    |
| 058.202.17  | 500                 | 29/32       | 170                        | 105    |
| 058.202.18  | 500                 | 34/35       | 170                        | 105    |
| 058.202.19  | 1000                | 24/29       | 200                        | 131    |
| 058.202.20  | 1000                | 29/32       | 200                        | 131    |
| 058.202.21  | 1000                | 34/35       | 200                        | 131    |
| 058.202.22  | 2000                | 24/29       | 250                        | 166    |
| 058.202.23  | 2000                | 29/32       | 250                        | 166    |
| 058.202.24  | 2000                | 34/35       | 250                        | 166    |



Above flasks can also be provided in other joint sizes.

### Flasks, Round Bottom, Two neck DIN 12394

| Cat. No.   | Nominal capacity ml | Socket size | Approx. overall height mm. | Approx. neck length mm. |
|------------|---------------------|-------------|----------------------------|-------------------------|
| 059.202.01 | 50                  | 24/29       | 14/23                      | 115                     |
| 059.202.02 | 50                  | 29/32       | 14/23                      | 115                     |
| 059.202.03 | 100                 | 24/29       | 14/23                      | 115                     |
| 059.202.04 | 100                 | 24/29       | 19/26                      | 115                     |
| 059.202.05 | 100                 | 29/32       | 14/23                      | 115                     |
| 059.202.06 | 250                 | 24/29       | 14/23                      | 145                     |
| 059.202.07 | 250                 | 24/29       | 19/26                      | 145                     |
| 059.202.08 | 250                 | 29/32       | 14/23                      | 145                     |
| 059.202.09 | 500                 | 24/29       | 14/23                      | 175                     |
| 059.202.10 | 500                 | 24/29       | 19/26                      | 175                     |
| 059.202.11 | 500                 | 29/32       | 14/23                      | 175                     |
| 059.202.12 | 1000                | 24/29       | 14/23                      | 210                     |
| 059.202.13 | 1000                | 24/29       | 19/26                      | 210                     |
| 059.202.14 | 1000                | 29/32       | 14/23                      | 210                     |
| 059.202.15 | 2000                | 34/35       | 19/26                      | 223                     |



Above flasks can also be provided in other joint sizes.

# Paramedical S.r.l.

## Flasks

### Flasks, Round Bottom, Three neck at Angle DIN 12394



| Cat. No.    | Nominal capacity ml | Centre socket | Side sockets | Approx. overall height mm. |
|-------------|---------------------|---------------|--------------|----------------------------|
| 060.202.01  | 100                 | 19/26         | 14/23        | 115                        |
| 060.202.02  | 100                 | 24/29         | 14/23        | 115                        |
| 060.202.03  | 100                 | 24/29         | 19/26        | 115                        |
| 060.202.03A | 100                 | 29/32         | 14/23        | 115                        |
| 060.202.04  | 250                 | 19/26         | 19/26        | 145                        |
| 060.202.05  | 250                 | 24/29         | 14/23        | 145                        |
| 060.202.06  | 250                 | 24/29         | 19/26        | 145                        |
| 060.202.07  | 250                 | 29/32         | 14/23        | 145                        |
| 060.202.08  | 250                 | 29/32         | 19/26        | 145                        |
| 060.202.08A | 250                 | 29/32         | 29/32        | 145                        |
| 060.202.09  | 500                 | 24/29         | 14/23        | 175                        |
| 060.202.10  | 500                 | 24/29         | 19/26        | 175                        |
| 060.202.11  | 500                 | 29/32         | 14/23        | 175                        |
| 060.202.12  | 500                 | 29/32         | 19/26        | 175                        |
| 060.202.12A | 500                 | 29/32         | 29/32        | 175                        |
| 060.202.13  | 1000                | 24/29         | 14/23        | 210                        |
| 060.202.14  | 1000                | 24/29         | 19/26        | 210                        |
| 060.202.15  | 1000                | 29/32         | 14/23        | 210                        |
| 060.202.16  | 1000                | 29/32         | 19/26        | 210                        |
| 060.202.17  | 1000                | 29/32         | 29/32        | 210                        |
| 060.202.18  | 2000                | 24/29         | 19/26        | 260                        |
| 060.202.19  | 2000                | 29/32         | 24/29        | 260                        |
| 060.202.20  | 2000                | 29/32         | 29/32        | 290                        |

Above flasks can also be provided in other joint sizes.

### Flask Round Bottom, three neck Parallel DIN 12392



| Cat. No.    | Nominal capacity ml | Center socket | Side sockets | Approx. overall height mm. |
|-------------|---------------------|---------------|--------------|----------------------------|
| 061.202.01  | 250                 | 24/29         | 19/26        | 145                        |
| 061.202.02  | 250                 | 29/32         | 14/23        | 145                        |
| 061.202.02A | 250                 | 29/32         | 29/32        | 145                        |
| 061.202.03  | 500                 | 24/29         | 19/26        | 175                        |
| 061.202.04  | 500                 | 29/32         | 14/23        | 175                        |
| 061.202.05  | 500                 | 29/32         | 19/26        | 175                        |
| 061.202.05A | 500                 | 29/32         | 29/32        | 175                        |
| 061.202.06  | 1000                | 24/29         | 19/26        | 210                        |
| 061.202.07  | 1000                | 29/32         | 14/23        | 210                        |
| 061.202.08  | 1000                | 29/32         | 19/26        | 210                        |
| 061.202.09  | 1000                | 29/32         | 24/29        | 210                        |
| 061.202.10  | 1000                | 29/32         | 29/32        | 210                        |
| 061.202.11  | 2000                | 24/29         | 19/26        | 260                        |
| 061.202.12  | 2000                | 29/32         | 19/26        | 260                        |
| 061.202.13  | 2000                | 29/32         | 29/32        | 260                        |
| 061.202.14  | 2000                | 34/35         | 19/26        | 260                        |
| 061.202.15  | 2000                | 34/35         | 24/29        | 260                        |

Above flasks can also be provided in other joint sizes.

# Paramedical S.r.l.

## Flasks

### Flask Pear Shape, single neck DIN 12383

| Cat. No.   | Nominal capacity ml | Side Socket | Approx. overall height mm. | Approx. diameter mm. |
|------------|---------------------|-------------|----------------------------|----------------------|
| 062.202.06 | 25                  | 14/23       | 90                         | 38                   |
| 062.202.07 | 50                  | 14/23       | 110                        | 48                   |
| 062.202.09 | 100                 | 14/23       | 125                        | 58                   |



### Flasks, Pear Shape, Two neck

| Cat. No.   | Nominal capacity ml | Centre Socket | Side Socket | Approx. overall height mm. |
|------------|---------------------|---------------|-------------|----------------------------|
| 063.202.01 | 50                  | 14/23         | 14/23       | 110                        |
| 063.202.02 | 100                 | 14/23         | 14/23       | 125                        |



### Flasks, Evaporating,

| Cat. No.   | Nominal capacity ml | Side Socket | Approx. overall height mm. |
|------------|---------------------|-------------|----------------------------|
| 069.202.01 | 50                  | 29/32       | 94                         |
| 069.202.02 | 100                 | 24/29       | 110                        |
| 069.202.03 | 100                 | 29/32       | 110                        |
| 069.202.04 | 250                 | 24/29       | 140                        |
| 069.202.05 | 250                 | 29/32       | 140                        |
| 069.202.06 | 500                 | 24/29       | 170                        |
| 069.202.07 | 500                 | 29/32       | 170                        |
| 069.202.08 | 1000                | 24/29       | 210                        |
| 069.202.09 | 1000                | 29/32       | 210                        |
| 069.202.10 | 2000                | 29/32       | 250                        |



# Paramedical S.r.l.

## Flasks



### Flasks, Kjeldahl

| Cat. No.   | Nominal capacity ml | Approx. overall height mm. | Socket Size |
|------------|---------------------|----------------------------|-------------|
| 070.202.01 | 50                  | 162                        | 19/26       |
| 070.202.02 | 100                 | 165                        | 19/26       |
| 070.202.03 | 100                 | 265                        | 24/29       |
| 070.202.04 | 300                 | 295                        | 24/29       |
| 070.202.05 | 500                 | 305                        | 24/29       |
| 070.202.06 | 800                 | 325                        | 24/29       |



### Flasks, Conical, (Erlenmeyer) DIN 12387

| Cat. No.    | Nominal capacity ml | Socket Size | Approx. overall diameter mm. | Approx. overall height mm. |
|-------------|---------------------|-------------|------------------------------|----------------------------|
| 071.202.06  | 25                  | 14/23       | 75                           | 42                         |
| 071.202.07  | 25                  | 19/26       | 75                           | 42                         |
| 071.202.08  | 50                  | 14/23       | 85                           | 51                         |
| 071.202.09  | 50                  | 19/26       | 85                           | 51                         |
| 071.202.10  | 50                  | 24/29       | 85                           | 64                         |
| 071.202.10A | 50                  | 29/32       | 85                           | 64                         |
| 071.202.11  | 100                 | 14/23       | 105                          | 64                         |
| 071.202.12  | 100                 | 19/26       | 105                          | 64                         |
| 071.202.13  | 100                 | 24/29       | 105                          | 64                         |
| 071.202.14  | 100                 | 29/32       | 105                          | 64                         |
| 071.202.15  | 150                 | 19/26       | 118                          | 74                         |
| 071.202.16  | 150                 | 24/29       | 118                          | 74                         |
| 071.202.17  | 150                 | 29/32       | 118                          | 74                         |
| 071.202.17A | 200                 | 29/32       | 131                          | 79                         |
| 071.202.18  | 250                 | 19/26       | 140                          | 85                         |
| 071.202.19  | 250                 | 24/29       | 140                          | 85                         |
| 071.202.20  | 250                 | 29/32       | 140                          | 85                         |
| 071.202.21  | 250                 | 34/35       | 140                          | 85                         |
| 071.202.21A | 300                 | 29/32       | 156                          | 87                         |
| 071.202.22  | 500                 | 19/26       | 175                          | 105                        |
| 071.202.22A | 500                 | 24/29       | 175                          | 105                        |
| 071.202.23  | 500                 | 29/32       | 175                          | 105                        |
| 071.202.24  | 500                 | 34/35       | 175                          | 105                        |
| 071.202.25  | 1000                | 24/29       | 220                          | 131                        |
| 071.202.26  | 1000                | 29/32       | 220                          | 131                        |
| 071.202.27  | 1000                | 34/35       | 220                          | 131                        |
| 071.202.28  | 2000                | 29/32       | 280                          | 166                        |
| 071.202.29  | 2000                | 34/35       | 280                          | 166                        |



### Flasks, Iodine.

| Cat. No.   | Nominal capacity ml | Joint Size | Min. Cup Capacity ml. |
|------------|---------------------|------------|-----------------------|
| 072.202.01 | 250                 | 24/29      | 20                    |
| 072.202.02 | 250                 | 29/32      | 20                    |
| 072.202.03 | 500                 | 24/29      | 20                    |
| 072.202.04 | 500                 | 29/32      | 20                    |



# Paramedical S.r.l.

## Flasks

### Flasks, Distillation, with side Tube

| Cat. No.   | Nominal capacity ml | Dia mm | Height mm |
|------------|---------------------|--------|-----------|
| 073.202.03 | 100                 | 65     | 215       |
| 073.202.04 | 250                 | 85     | 226       |
| 073.202.05 | 500                 | 105    | 240       |



### Flasks, Buckner Filtration Bolt Neck

| Cat. No.   | Nominal capacity ml |
|------------|---------------------|
| 074.202.01 | 100                 |
| 074.202.02 | 250                 |
| 074.202.03 | 500                 |
| 074.202.04 | 1000                |
| 074.202.05 | 2000                |



### Flasks, Conical, with Teflon Liner Screw Cap.

| Cat. No.   | Capacity | Dia mm |
|------------|----------|--------|
| 075.202.01 | 50       | 51     |
| 075.202.02 | 100      | 64     |
| 075.202.03 | 150      | 74     |
| 075.202.04 | 250      | 85     |
| 075.202.05 | 500      | 105    |
| 075.202.06 | 1000     | 131    |



# Paramedical S.r.l.

## Flasks



### Flasks, Erlenmeyer's Stopped

| Cat. No.   | Capacity | Joint Size |
|------------|----------|------------|
| 076.202.01 | 100      | 29/32      |
| 076.202.02 | 250      | 29/32      |
| 076.202.03 | 500      | 29/32      |
| 076.202.04 | 1000     | 29/32      |
| 076.202.05 | 2000     | 29/32      |



### Flasks, Kjeldhal Round Bottom Long Neck.

| Cat. No.   | Capacity | Dia mm | Height mm |
|------------|----------|--------|-----------|
| 077.202.01 | 100      | 58     | 240       |
| 077.202.02 | 300      | 81     | 300       |
| 077.202.03 | 500      | 101    | 325       |
| 077.202.04 | 800      | 115    | 350       |

# Paramedical S.r.l.

## Tubes

**Tubes, Culture, Media, Round Bottom,**  
with Screw cap & Teflon Liner.

| Cat. No.   | Capacity | O.D.x Length (mm) |
|------------|----------|-------------------|
| 082.202.01 | 5        | 15 x 75           |
| 082.202.02 | 10       | 15 x 125          |
| 082.202.03 | 15       | 15 x 150          |
| 082.202.04 | 25       | 18 x 150          |
| 082.202.05 | 30       | 25 x 100          |
| 082.202.06 | 45       | 25 x 150          |
| 082.202.07 | 60       | 25 x 200          |
| 082.202.08 | 100      | 32 x 200          |

PS : Test tubes in other sizes can be provided on request.



**Tubes, Culture, Media, Flat Bottom,**  
with Screw cap & Teflon Liner

| Cat. No.   | Capacity | O.D.x Length (mm) |
|------------|----------|-------------------|
| 083.202.01 | 5        | 18 x 45           |
| 083.202.02 | 10       | 25 x 57           |
| 083.202.03 | 30       | 25 x 95           |
| 083.202.04 | 40       | 25 x 145          |

PS : Test tubes in other sizes can be provided on request.



**Centrifuge Tube, Conical Bottom, Graduated**

| Cat. No.   | Capacity | Height x O.D. (mm) |
|------------|----------|--------------------|
| 088.202.01 | 5        | 100 x 13           |
| 088.202.02 | 10       | 110 x 15           |
| 088.202.03 | 15       | 120 x 17           |
| 088.202.04 | 25       | 125 x 22           |
| 088.202.05 | 50       | 125 x 28           |



# Paramedical S.r.l.

## Tubes



### Centrifuge Tube Conical Bottom, Plain

| Cat. No.   | Capacity | Height x O.D.<br>(mm) |
|------------|----------|-----------------------|
| 089.202.02 | 5        | 100 x 13              |
| 089.202.03 | 10       | 110 x 15              |
| 089.202.05 | 15       | 120 x 17              |
| 089.202.06 | 25       | 125 x 22              |
| 089.202.07 | 50       | 125 x 28              |



### Centrifuge Tube Round Bottom, Graduated.

| Cat. No.   | Capacity | Height x O.D.<br>(mm) |
|------------|----------|-----------------------|
| 094.202.01 | 12       | 16 x 110              |
| 094.202.02 | 30       | 24 x 110              |
| 094.202.03 | 40       | 28 x 110              |
| 094.202.04 | 50       | 30 x 110              |
| 094.202.05 | 100      | 45 x 110              |
| 094.202.07 | 200      | 55 x 116              |



### Test Tube, with Joint & Stopper, Graduated.

| Cat. No.   | Size (mm) | Capacity<br>(ml) | Stopper<br>size |
|------------|-----------|------------------|-----------------|
| 095.202.01 | 100x12    | 5                | 10/19           |
| 095.202.02 | 125x16    | 10               | 12/21           |
| 095.202.03 | 150x22    | 25               | 19/26           |
| 095.202.04 | 200x25    | 50               | 19/26           |

# Paramedical S.r.l.

## Tubes

### Test Tubes, with interchangeable stopper, Plain.

| Cat. No.   | Length x Dia. (mm) | Height x O.D.(mm) |
|------------|--------------------|-------------------|
| 096.202.01 | 100 x 12           | 10/19             |
| 096.202.02 | 125 x 15           | 12/21             |
| 096.202.03 | 150 x 18           | 14/23             |
| 096.202.04 | 150 x 25           | 19/26             |
| 096.202.05 | 200 x 25           | 19/26             |
| 096.202.06 | 200 x 32           | 24/29             |
| 096.202.07 | 200 x 38           | 24/29             |



### Test Tubes, Round Bottom, with rim, Plain Boro 3.3

| Cat. No.   | Capacity | Height x O.D. (mm) | Wall Thickness |
|------------|----------|--------------------|----------------|
| 097.202.01 | 3        | 10x75              | 1.0            |
| 097.202.02 | 5        | 12x75              | 1.0            |
| 097.202.03 | 8        | 12x100             | 1.0            |
| 097.202.04 | 10       | 15x125             | 1.2            |
| 097.202.05 | 25       | 18x150             | 1.2            |
| 097.202.05 | 50       | 25x150             | 1.2            |
| 097.202.06 | 75       | 25x200             | 1.2            |



### Test Tubes, Round Bottom, without rim.

| Cat. No.   | Capacity | Height x O.D. (mm) | Wall Thickness |
|------------|----------|--------------------|----------------|
| 097.210.01 | 3        | 10x75              | 1.0            |
| 097.210.02 | 5        | 12x75              | 1.0            |
| 097.210.03 | 8        | 12x100             | 1.0            |
| 097.210.04 | 10       | 15x125             | 1.2            |
| 097.210.05 | 25       | 18x150             | 1.2            |
| 097.210.05 | 50       | 25x150             | 1.2            |
| 097.210.06 | 75       | 25x200             | 1.2            |



# Paramedical S.r.l.

## Tubes



**Test Tubes** Neutral Hard Glass, Round Bottom, Heat resistant. Autoclavable. Resistant to Temperature upto 350°C, with Rim.

| Cat. No.   | Size Approx. (mm) | Wall Thickness |
|------------|-------------------|----------------|
| 099.202.01 | 10x75             | 0.90           |
| 099.202.02 | 12x100            | 1.00           |
| 099.202.03 | 15x125            | 1.00           |
| 099.202.04 | 15x150            | 1.00           |
| 099.202.05 | 18x150            | 1.00           |
| 099.202.06 | 25x150            | 1.00           |

PS : Test tubes in other sizes can be provided on request.



**Test Tubes** Neutral Hard Glass, Heat resistant, Autoclavable, Resistant to Temperature upto 350°C, without Rim.

| Cat. No.   | Size Approx. (mm) | Wall Thickness |
|------------|-------------------|----------------|
| 099.210.01 | 10x75             | 0.90           |
| 099.210.02 | 12x100            | 1.00           |
| 099.210.03 | 15x125            | 1.00           |
| 099.210.04 | 15x150            | 1.00           |
| 099.210.05 | 18x150            | 1.00           |
| 099.210.06 | 25x150            | 1.00           |

PS : (1) Test tubes in other sizes can be printed on request.  
(2) Above test tubes can also available in Flat Bottom on request.

# Paramedical S.r.l.




**VOLUMETRIC GLASSWARE**

[www.paramedical.it](http://www.paramedical.it)

Paramedical S.r.l.



Separator  
Back



VOLUMETRIC GLASSWARE

[www.paramedical.it](http://www.paramedical.it)




# Paramedical S.r.l.

## Burettes

**Burette with Straight Bore Glass Key Stopcock,**  
Accuracy as per class AS DIN 12700, ISO 385  
(waiting time 30 seconds)

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 110.202.01 | 10       | 0.05          | 0.020                 |
| 110.202.02 | 25       | 0.10          | 0.050                 |
| 110.202.03 | 50       | 0.10          | 0.050                 |
| 110.202.04 | 100      | 0.20          | 0.100                 |



**Burette with Straight Bore Glass Key Stopcock,  
Schell Bach Stripe**  
Accuracy as per class AS DIN 12700, ISO 385  
(waiting time 30 seconds) With LOT Certificate.

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|-------------|----------|---------------|-----------------------|
| 110.202.01A | 10       | 0.05          | 0.020                 |
| 110.202.02A | 25       | 0.10          | 0.050                 |
| 110.202.03A | 50       | 0.10          | 0.050                 |
| 110.202.04A | 100      | 0.20          | 0.100                 |



**Burette with Straight Bore Glass Key Stopcock,  
Schell Bach Stripe,**  
Accuracy as per class AS DIN 12700, ISO 385  
(waiting time 30 seconds) with Individual  
Work Certificate, Serially numbered.

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 110.223.01 | 10       | 0.05          | 0.020                 |
| 110.223.02 | 25       | 0.10          | 0.050                 |
| 110.223.03 | 50       | 0.10          | 0.050                 |
| 110.223.04 | 100      | 0.20          | 0.100                 |


# Paramedical S.r.l.

## Burettes



**Burette with Straight Bore Glass Key Stopcock,**  
Accuracy as per class AS DIN 12700, ISO 385  
With LOT Certificate (Waiting time 30 second)

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 111.202.01 | 10       | 0.05          | 0.02                  |
| 111.202.02 | 25       | 0.10          | 0.05                  |
| 111.202.03 | 50       | 0.10          | 0.05                  |
| 111.202.04 | 100      | 0.20          | 0.10                  |



**Burette with Straight Bore Glass Key Stopcock,**  
Accuracy as per class AS DIN 12700, ISO 385  
With Individual Work Certificate  
(Waiting time 30 second), Serially numbered

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 111.223.01 | 10       | 0.05          | 0.02                  |
| 111.223.02 | 25       | 0.10          | 0.05                  |
| 111.223.03 | 50       | 0.10          | 0.05                  |
| 111.223.04 | 100      | 0.20          | 0.10                  |

**Burette with Straight Bore Glass Key Stopcock,**  
**Burettes Meet ASTM E-287 Class A**  
Specifications & USP Standard with  
Individual work certificate, Serially numbered.

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 111.220.01 | 10       | 0.05          | 0.02                  |
| 111.220.02 | 25       | 0.10          | 0.03                  |
| 111.220.03 | 50       | 0.10          | 0.05                  |

# Paramedical S.r.l.

## Burettes

### Burette with Screw Type Needle Valve PTFE stopcock

Accuracy as per class AS DIN 12700, ISO 385

(Waiting time 30 seconds).

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 112.202.01 | 10       | 0.05          | 0.020                 |
| 112.202.02 | 25       | 0.10          | 0.050                 |
| 112.202.03 | 50       | 0.10          | 0.050                 |
| 112.202.04 | 100      | 0.20          | 0.100                 |



### Burette with Screw Type Needle Valve

#### PTFE stopcock, Schell Bach Stripe

Accuracy as per class AS DIN 12700, ISO 385

(Waiting time 30 seconds). With LOT Certificate.

| Cat. No.     | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|--------------|----------|---------------|-----------------------|
| 112.202.01 A | 10       | 0.05          | 0.020                 |
| 112.202.02 A | 25       | 0.10          | 0.050                 |
| 112.202.03 A | 50       | 0.10          | 0.050                 |
| 112.202.04 A | 100      | 0.20          | 0.100                 |



### Burette with Screw Type Needle Valve

#### PTFE stopcock, Schell Bach Stripe

Accuracy as per class AS DIN 12700, ISO 385

(Waiting time 30 seconds).

With Individual Work Certificate, Serially numbered.

| Cat. No.     | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|--------------|----------|---------------|-----------------------|
| 112.223.01 A | 10       | 0.05          | 0.020                 |
| 112.223.02 A | 25       | 0.10          | 0.050                 |
| 112.223.03 A | 50       | 0.10          | 0.050                 |
| 112.223.04 A | 100      | 0.20          | 0.100                 |

# Paramedical S.r.l.

## Burettes



### Burette with Screw Type Needle Valve PTFE stopcock. With LOT Certificate

Accuracy as per AS DIN 12700 ISO 385

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 113.202.01 | 10       | 0.05          | 0.02                  |
| 113.202.02 | 25       | 0.10          | 0.05                  |
| 113.202.03 | 50       | 0.10          | 0.05                  |
| 113.202.04 | 100      | 0.20          | 0.10                  |

### Burette with Screw Type Needle Valve PTFE Stopcock.

With Individual Work Certificate, Serially numbered, Accuracy as per AS DIN 12700 ISO 385.

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 113.223.01 | 10       | 0.05          | 0.02                  |
| 113.223.02 | 25       | 0.10          | 0.05                  |
| 113.223.03 | 50       | 0.10          | 0.05                  |
| 113.223.04 | 100      | 0.20          | 0.10                  |



### Burette with Screw Type Needle Valve PTFE Stopcock.

Burettes meet ASTM E-287 Class A specification & USP standard with Individual work certificate, Serially numbered.


| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 113.220.01 | 10       | 0.05          | 0.02                  |
| 113.220.02 | 25       | 0.10          | 0.03                  |
| 113.220.03 | 50       | 0.10          | 0.05                  |

### Burette with Straight Bore PTFE Key stopcock

Accuracy as per AS DIN 12700 ISO 385

(Waiting time 30-seconds).

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 114.202.01 | 10       | 0.05          | 0.020                 |
| 114.202.02 | 25       | 0.10          | 0.050                 |
| 114.202.03 | 50       | 0.10          | 0.050                 |
| 114.202.04 | 100      | 0.20          | 0.100                 |



### Burette with Straight Bore PTFE Key stopcock

**Schell Bach Stripe.** Accuracy as per AS DIN 12700 ISO 385

With Lot Certificate (Waiting time 30-seconds).

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|-------------|----------|---------------|-----------------------|
| 114.202.04A | 10       | 0.05          | 0.020                 |
| 114.202.05A | 25       | 0.10          | 0.050                 |
| 114.202.06A | 50       | 0.10          | 0.050                 |
| 114.202.07A | 100      | 0.20          | 0.100                 |



### Burette with Straight Bore PTFE Key stopcock

**Schell Bach Stripe.** Accuracy as per AS DIN 12700 ISO 385

With Individual Work Certificate, Serially numbered,

(Waiting time 30-seconds).

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|-------------|----------|---------------|-----------------------|
| 114.223.04A | 10       | 0.05          | 0.020                 |
| 114.223.05A | 25       | 0.10          | 0.050                 |
| 114.223.06A | 50       | 0.10          | 0.050                 |
| 114.223.07A | 100      | 0.20          | 0.100                 |

# Paramedical S.r.l.

## Burettes



### Burette with Straight Bore PTFE Key stopcock

Accuracy as per AS DIN 12700, ISO 385  
With LOT Certificate (Waiting time 30 Seconds)

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 115.202.01 | 10       | 0.05          | 0.02                  |
| 115.202.02 | 25       | 0.10          | 0.05                  |
| 115.202.03 | 50       | 0.10          | 0.05                  |
| 115.202.04 | 100      | 0.20          | 0.10                  |

### Burette with Straight Bore PTFE Key stopcock

Accuracy as per AS DIN 12700, ISO 385  
Individual Work Certificate, Serially numbered,  
(Waiting time 30 Seconds)

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 115.223.01 | 10       | 0.05          | 0.02                  |
| 115.223.02 | 25       | 0.10          | 0.05                  |
| 115.223.03 | 50       | 0.10          | 0.05                  |
| 115.223.04 | 100      | 0.20          | 0.10                  |



**Burette with Straight Bore PTFE Key stopcock**  
Burettes meet ASTM E-287 Class A specification  
& USP Standard with Individual Work Certificate,  
Serially numbered, With Straight Bore  
PTFE Key Stopcock

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 115.220.01 | 10       | 0.05          | 0.02                  |
| 115.220.02 | 25       | 0.10          | 0.03                  |
| 115.220.03 | 50       | 0.10          | 0.05                  |


# Paramedical S.r.l.

## Burettes

### Burette Lengths without Stopcocks.

Accuracy as per AS DIN 12700 ISO 385

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance (± ml) |
|------------|----------|---------------|------------------|
| 116.202.01 | 10       | 0.05          | 0.02             |
| 116.202.02 | 25       | 0.10          | 0.05             |
| 116.202.03 | 50       | 0.10          | 0.05             |
| 116.202.04 | 100      | 0.20          | 0.10             |



**Burette, Automatic Zero**, mounted on Reservoir with Screw type PTFE Needle Valve Stopcock and Rubber bellow, Accuracy as per class AS DIN conformity certified.

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance (± ml) |
|------------|----------|---------------|------------------|
| 118.202.01 | 10       | 0.05          | 0.02             |
| 118.202.02 | 25       | 0.10          | 0.05             |
| 118.202.03 | 50       | 0.10          | 0.05             |
| 118.202.04 | 100      | 0.20          | 0.10             |



**Burette, Automatic Zero**, mounted on Reservoir with PTFE Key Stopcock, Rubber bellow, Accuracy as per class AS DIN Conformity Certified

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance (± ml) |
|------------|----------|---------------|------------------|
| 120.202.01 | 10       | 0.05          | 0.02             |
| 120.202.02 | 25       | 0.10          | 0.05             |
| 120.202.03 | 50       | 0.10          | 0.05             |
| 120.202.04 | 100      | 0.20          | 0.10             |



# Paramedical S.r.l.

## Pipettes



**Pipette Volumetric**, with one mark,  
Accuracy as per class AS DIN 12691, ISO 648  
(waiting time 15 seconds)

| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 122.202.01 | 1        | 0.006                    | Blue           |
| 122.202.02 | 2        | 0.010                    | Orange         |
| 122.202.03 | 5        | 0.015                    | White          |
| 122.202.04 | 10       | 0.020                    | Red            |
| 122.202.05 | 20       | 0.030                    | Yellow         |
| 122.202.06 | 25       | 0.030                    | Blue           |
| 122.202.07 | 50       | 0.050                    | Red            |
| 122.202.08 | 100      | 0.080                    | Yellow         |

**Pipette Volumetric**, with one mark,  
Accuracy as per class AS DIN 12691 ISO 648  
(waiting time 15 seconds) With LOT Certificate

| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 123.202.01 | 1        | 0.006                    | Blue           |
| 123.202.02 | 2        | 0.010                    | Orange         |
| 123.202.03 | 5        | 0.015                    | White          |
| 123.202.04 | 10       | 0.020                    | Red            |
| 123.202.05 | 20       | 0.030                    | Yellow         |
| 123.202.06 | 25       | 0.030                    | Blue           |
| 123.202.07 | 50       | 0.050                    | Red            |
| 123.202.08 | 100      | 0.080                    | Yellow         |

**Pipette Volumetric**, with one mark,  
Accuracy as per class AS DIN 12691 ISO 648  
(waiting time 15 seconds)  
With Individual Work Certificate, Serially numbered.

| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 123.223.01 | 1        | 0.006                    | Blue           |
| 123.223.02 | 2        | 0.010                    | Orange         |
| 123.223.03 | 5        | 0.015                    | White          |
| 123.223.04 | 10       | 0.020                    | Red            |
| 123.223.05 | 20       | 0.030                    | Yellow         |
| 123.223.06 | 25       | 0.030                    | Blue           |
| 123.223.07 | 50       | 0.050                    | Red            |
| 123.223.08 | 100      | 0.080                    | Yellow         |



# Paramedical S.r.l.

## Pipettes

**Graduated Pipette** for partial outflow  
class AS DIN 12697 ISO 835  
(waiting time 15 seconds).


| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 124.202.01 | 1.0      | 0.006                    | Yellow         |
| 124.202.02 | 2.0      | 0.010                    | Black          |
| 124.202.03 | 5.0      | 0.030                    | Red            |
| 124.202.04 | 10.0     | 0.050                    | Orange         |
| 124.202.06 | 25.0     | 0.100                    | White          |

**Graduated Pipettes,**  
Class AS Din 12697, ISO 835,  
(Waiting time 15 seconds), with LOT Certificate

| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 125.202.01 | 1.0      | 0.006                    | Yellow         |
| 125.202.02 | 2.0      | 0.010                    | Black          |
| 125.202.03 | 5.0      | 0.030                    | Red            |
| 125.202.04 | 10.0     | 0.050                    | Orange         |
| 125.202.06 | 25.0     | 0.100                    | White          |

**Graduated Pipette** Class AS DIN 12697, ISO835  
(waiting time 15 seconds),  
with Individual Work Certificate, Serially numbered.

| Cat. No.   | Cap. ml. | Tolerance<br>( $\pm$ ml) | Colour<br>code |
|------------|----------|--------------------------|----------------|
| 125.223.01 | 1.0      | 0.006                    | Yellow         |
| 125.223.02 | 2.0      | 0.010                    | Black          |
| 125.223.03 | 5.0      | 0.030                    | Red            |
| 125.223.04 | 10.0     | 0.050                    | Orange         |
| 125.223.06 | 25.0     | 0.100                    | White          |



# Paramedical S.r.l.

## Volumetric Flasks



**Volumetric Flask** with one Graduation mark and stopper made of Polyethelene ISO 1042, DIN 12664, Class A.

| Cat. No.    | Cap. ml. | Tolerance ( $\pm$ ml) | N/S   |
|-------------|----------|-----------------------|-------|
| 129.202.01  | 5        | 0.025                 | 10/19 |
| 129.202.02  | 10       | 0.025                 | 10/19 |
| 129.202.02A | 20       | 0.040                 | 10/19 |
| 129.202.03  | 25       | 0.040                 | 10/19 |
| 129.202.04  | 50       | 0.060                 | 12/21 |
| 129.202.05  | 100      | 0.100                 | 14/23 |
| 129.202.06  | 200      | 0.150                 | 14/23 |
| 129.202.07  | 250      | 0.150                 | 14/23 |
| 129.202.08  | 500      | 0.250                 | 19/26 |
| 129.202.09  | 1000     | 0.400                 | 24/29 |
| 129.202.10  | 2000     | 0.600                 | 29/32 |



**Volumetric Flask** with one graduation mark & stopper made of polythelene ISO 1042, DIN 12664, Class A.  
With LOT Certificate.

| Cat. No.    | Cap. ml. | Tolerance ( $\pm$ ml) | N/S   |
|-------------|----------|-----------------------|-------|
| 130.202.01  | 5        | 0.025                 | 10/19 |
| 130.202.02  | 10       | 0.025                 | 10/19 |
| 130.202.02A | 20       | 0.040                 | 10/19 |
| 130.202.03  | 25       | 0.040                 | 10/19 |
| 130.202.04  | 50       | 0.060                 | 12/21 |
| 130.202.05  | 100      | 0.100                 | 14/23 |
| 130.202.06  | 200      | 0.150                 | 14/23 |
| 130.202.07  | 250      | 0.150                 | 14/23 |
| 130.202.08  | 500      | 0.250                 | 19/26 |
| 130.202.09  | 1000     | 0.400                 | 24/29 |
| 130.202.10  | 2000     | 0.600                 | 29/32 |

**Volumetric Flask** with one graduation mark & stopper made of polythelene ISO 1042, DIN 12664, Class A.  
With Individual Work Certificate, Serially numbered.

| Cat. No.    | Cap. ml. | Tolerance ( $\pm$ ml) | N/S   |
|-------------|----------|-----------------------|-------|
| 130.223.01  | 5        | 0.025                 | 10/19 |
| 130.223.02  | 10       | 0.025                 | 10/19 |
| 130.223.02A | 20       | 0.040                 | 10/19 |
| 130.223.03  | 25       | 0.040                 | 10/19 |
| 130.223.04  | 50       | 0.060                 | 12/21 |
| 130.223.05  | 100      | 0.100                 | 14/23 |
| 130.223.06  | 200      | 0.150                 | 14/23 |
| 130.223.07  | 250      | 0.150                 | 14/23 |
| 130.223.08  | 500      | 0.250                 | 19/26 |
| 130.223.09  | 1000     | 0.400                 | 24/29 |
| 130.223.10  | 2000     | 0.600                 | 29/32 |

# Paramedical S.r.l.

## Volumetric Flasks

**Volumetric Flask** with one Graduation Mark & Stopper made of polythelene, Vol. Flasks meet ASTM E-228 Class A specifications & USP standards, Flasks are Serially numbered and supplied with Individual Work Certificate.

| Cat. No.    | Cap. ml. | Tolerance (± ml) | N/S   |
|-------------|----------|------------------|-------|
| 130.220.01  | 5        | 0.02             | 10/19 |
| 130.220.02  | 10       | 0.02             | 10/19 |
| 130.220.02A | 20       | 0.03             | 10/19 |
| 130.220.03  | 25       | 0.03             | 10/19 |
| 130.220.04  | 50       | 0.05             | 12/21 |
| 130.220.05  | 100      | 0.08             | 14/23 |
| 130.220.06  | 200      | 0.10             | 14/23 |
| 130.220.07  | 250      | 0.12             | 14/23 |
| 130.220.08  | 500      | 0.20             | 19/26 |
| 130.220.09  | 1000     | 0.30             | 24/29 |
| 130.220.10  | 2000     | 0.5 0            | 29/32 |



**Volumetric Flask Amber** with one Graduation mark and stopper made of Polythelene ISO 1042 DIN 12664. Accuracy as per class A. With LOT Certificate

| Cat. No.     | Cap. ml. | Tolerance (± ml) | N/S   |
|--------------|----------|------------------|-------|
| 130.202.01A  | 5        | 0.025            | 10/19 |
| 130.202.02AB | 10       | 0.025            | 10/19 |
| 130.202.03A  | 20       | 0.040            | 10/19 |
| 130.202.04A  | 25       | 0.040            | 10/19 |
| 130.202.05A  | 50       | 0.060            | 12/21 |
| 130.202.06A  | 100      | 0.100            | 14/23 |
| 130.202.07A  | 200      | 0.150            | 14/23 |
| 130.202.08A  | 250      | 0.150            | 14/23 |
| 130.202.09A  | 500      | 0.250            | 19/26 |
| 130.202.010A | 1000     | 0.400            | 24/29 |
| 130.202.011A | 2000     | 0.600            | 29/32 |

**Volumetric Flask Amber** with one Graduation mark and stopper made of Polythelene ISO 1042 DIN 12664. Accuracy as per class A. With Individual Work Certificate & Serially numbered.

| Cat. No.     | Cap. ml. | Tolerance (± ml) | N/S   |
|--------------|----------|------------------|-------|
| 130.223.01A  | 5        | 0.025            | 10/19 |
| 130.223.02AB | 10       | 0.025            | 10/19 |
| 130.223.03A  | 20       | 0.040            | 10/19 |
| 130.223.04A  | 25       | 0.040            | 10/19 |
| 130.223.05A  | 50       | 0.060            | 12/21 |
| 130.223.06A  | 100      | 0.100            | 14/23 |
| 130.223.07A  | 200      | 0.150            | 14/23 |
| 130.223.08A  | 250      | 0.150            | 14/23 |
| 130.223.09A  | 500      | 0.250            | 19/26 |
| 130.223.010A | 1000     | 0.400            | 24/29 |
| 130.223.011A | 2000     | 0.600            | 29/32 |



# Paramedical S.r.l.

## Volumetric Flasks



**Volumetric Flask Amber**, with One Graduation mark and Stopper made of Polythelene, Flasks meet ASTM E-228 Class A Specifications & USP standard, Serially numbered & supplied with Individual Work Certificate

| Cat. No.     | Cap. ml. | Tolerance ( $\pm$ ml) | N/S   |
|--------------|----------|-----------------------|-------|
| 130.220.01A  | 5        | 0.02                  | 10/19 |
| 130.220.02AB | 10       | 0.02                  | 10/19 |
| 130.220.03A  | 20       | 0.03                  | 10/19 |
| 130.220.04A  | 25       | 0.03                  | 10/19 |
| 130.220.05A  | 50       | 0.05                  | 12/21 |
| 130.220.06A  | 100      | 0.08                  | 14/23 |
| 130.220.07A  | 200      | 0.10                  | 14/23 |
| 130.220.08A  | 250      | 0.12                  | 14/23 |
| 130.220.09A  | 500      | 0.20                  | 19/26 |
| 130.220.010A | 1000     | 0.30                  | 24/29 |
| 130.220.011A | 2000     | 0.50                  | 29/32 |



**Volumetric Flask With Rim Without Stopper**  
ISO 1042, DIN 12664, Class A.

| Cat. No.   | Cap. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|-----------------------|
| 131.202.01 | 5        | 0.025                 |
| 131.202.02 | 10       | 0.025                 |
| 131.202.03 | 20       | 0.040                 |
| 131.202.04 | 25       | 0.040                 |
| 131.202.05 | 50       | 0.060                 |
| 131.202.06 | 100      | 0.100                 |
| 131.202.07 | 200      | 0.150                 |
| 131.202.08 | 250      | 0.150                 |
| 131.202.09 | 500      | 0.250                 |
| 131.202.10 | 1000     | 0.400                 |
| 131.202.11 | 2000     | 0.600                 |

**Volumetric Flask With Rim Without Stopper**  
ISO 1042, DIN 12664, Class A.  
With LOT Certificate


| Cat. No.   | Cap. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|-----------------------|
| 132.202.01 | 5        | 0.025                 |
| 132.202.02 | 10       | 0.025                 |
| 132.202.03 | 20       | 0.040                 |
| 132.202.04 | 25       | 0.040                 |
| 132.202.05 | 50       | 0.060                 |
| 132.202.06 | 100      | 0.100                 |
| 132.202.07 | 200      | 0.150                 |
| 132.202.08 | 250      | 0.150                 |
| 132.202.09 | 500      | 0.250                 |
| 132.202.10 | 1000     | 0.400                 |
| 132.202.11 | 2000     | 0.600                 |

# Paramedical S.r.l.

## Cylinders


**Measuring Cylinders, with plastic bases and protection collar Class B**

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 137.202.01 | 5        | 0.1           | 0.1                   |
| 137.202.02 | 10       | 0.2           | 0.2                   |
| 137.202.03 | 25       | 0.5           | 0.5                   |
| 137.202.04 | 50       | 1.0           | 1.0                   |
| 137.202.05 | 100      | 1.0           | 1.0                   |
| 137.202.06 | 250      | 2.0           | 2.0                   |



**Measuring Cylinders, with spout & Round Base Class A DIN 12680, ISO 4788**

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 138.202.01 | 5        | 0.1           | 0.05                  |
| 138.202.02 | 10       | 0.2           | 0.10                  |
| 138.202.03 | 25       | 0.5           | 0.25                  |
| 138.202.04 | 50       | 1.0           | 0.50                  |
| 138.202.05 | 100      | 1.0           | 0.50                  |
| 138.202.06 | 250      | 2.0           | 1.00                  |
| 138.202.07 | 500      | 5.0           | 2.50                  |
| 138.202.08 | 1000     | 10.0          | 5.00                  |
| 138.202.09 | 2000     | 20.0          | 10.0                  |




**Measuring Cylinders, with spout & Hexagonal Base Class A DIN 12680, ISO 4788**

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|-------------|----------|---------------|-----------------------|
| 138.202.01A | 10       | 0.2           | 0.10                  |
| 138.202.02A | 25       | 0.5           | 0.25                  |
| 138.202.03A | 50       | 1.0           | 0.50                  |
| 138.202.04A | 100      | 1.0           | 0.50                  |
| 138.202.05A | 250      | 2.0           | 1.00                  |
| 138.202.06A | 500      | 5.0           | 2.50                  |
| 138.202.07A | 1000     | 10.0          | 5.00                  |
| 138.202.08A | 2000     | 20.0          | 10.00                 |



# Paramedical S.r.l.

## Cylinders



**Measuring Cylinders, with spout & Round Base**  
Class A DIN 12680, With LOT Certificate

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 139.202.01 | 5        | 0.1           | 0.05                  |
| 139.202.02 | 10       | 0.2           | 0.10                  |
| 139.202.03 | 25       | 0.5           | 0.25                  |
| 139.202.04 | 50       | 1.0           | 0.50                  |
| 139.202.05 | 100      | 1.0           | 0.50                  |
| 139.202.06 | 250      | 2.0           | 1.00                  |
| 139.202.07 | 500      | 5.0           | 2.50                  |
| 139.202.08 | 1000     | 10.0          | 5.00                  |
| 139.202.09 | 2000     | 20.0          | 10.00                 |

**Measuring Cylinders, with spout & Round Base**  
Class A DIN 12680, With Individual Certificate,  
Serially numbered.

| Cat. No.   | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|------------|----------|---------------|-----------------------|
| 139.223.01 | 5        | 0.1           | 0.05                  |
| 139.223.02 | 10       | 0.2           | 0.10                  |
| 139.223.03 | 25       | 0.5           | 0.25                  |
| 139.223.04 | 50       | 1.0           | 0.50                  |
| 139.223.05 | 100      | 1.0           | 0.50                  |
| 139.223.06 | 250      | 2.0           | 1.00                  |
| 139.223.07 | 500      | 5.0           | 2.50                  |
| 139.223.08 | 1000     | 10.0          | 5.00                  |
| 139.223.09 | 2000     | 20.0          | 10.00                 |



**Measuring Cylinders, with spout & Hexagonal Base**  
Class A DIN 12680, With LOT Certificate

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance ( $\pm$ ml) |
|-------------|----------|---------------|-----------------------|
| 139.202.01A | 10       | 0.2           | 0.10                  |
| 139.202.02A | 25       | 0.5           | 0.25                  |
| 139.202.03A | 50       | 1.0           | 0.50                  |
| 139.202.04A | 100      | 1.0           | 0.50                  |
| 139.202.05A | 250      | 2.0           | 1.00                  |
| 139.202.06A | 500      | 5.0           | 2.50                  |
| 139.202.07A | 1000     | 10.0          | 5.00                  |
| 139.202.08A | 2000     | 20.0          | 10.00                 |

# Paramedical S.r.l.


## Cylinders

**Measuring Cylinders, with spout & Hexagonal Base**  
Class A DIN 12680, With Individual Certificate

| Cat. No.    | Cap. ml. | Sub. Div. ml. | Tolerance (± ml) |
|-------------|----------|---------------|------------------|
| 139.223.01A | 10       | 0.2           | 0.10             |
| 139.223.02A | 25       | 0.5           | 0.25             |
| 139.223.03A | 50       | 1.0           | 0.50             |
| 139.223.04A | 100      | 1.0           | 0.50             |
| 139.223.05A | 250      | 2.0           | 1.00             |
| 139.223.06A | 500      | 5.0           | 2.50             |
| 139.223.07A | 1000     | 10.0          | 5.00             |
| 139.223.08A | 2000     | 20.0          | 10.00            |

**Measuring Cylinders, with Spout & Hexagonal Base,**  
Serially numbered with Individual Work Certificate  
as per USP Standards.

| Cat. No.    | Capacity | Sub. Div. ml. | Tolerance (± ml) |
|-------------|----------|---------------|------------------|
| 139.220.01A | 10       | 0.2           | 0.10             |
| 139.220.02A | 25       | 0.5           | 0.25             |
| 139.220.03A | 50       | 1.0           | 0.50             |
| 139.220.04A | 100      | 1.0           | 0.50             |
| 139.220.05A | 250      | 2.0           | 1.00             |
| 139.220.06A | 500      | 5.0           | 2.50             |
| 139.220.07A | 1000     | 10.0          | 5.00             |
| 139.220.08A | 2000     | 20.0          | 10.00            |



**Measuring Cylinders, Round Base with interchangeable**  
Polythelene stopper, Class A DIN 12685, ISO 4788

| Cat. No.   | Capacity | Sub. Div. ml. | Tolerance (± ml) |
|------------|----------|---------------|------------------|
| 140.202.02 | 10       | 0.2           | 0.10             |
| 140.202.03 | 25       | 0.5           | 0.25             |
| 140.202.04 | 50       | 1.0           | 0.50             |
| 140.202.05 | 100      | 1.0           | 0.50             |
| 140.202.06 | 250      | 2.0           | 1.00             |
| 140.202.07 | 500      | 5.0           | 2.50             |
| 140.202.08 | 1000     | 10.0          | 5.00             |
| 140.202.09 | 2000     | 10.0          | 10.0             |



# Paramedical S.r.l.

## Cylinders



**Measuring Cylinders, Round Base with Interchangeable Polythelene stopper, Class A DIN 12685, ISO 4788 (With LOT Certificate)**

| Cat. No.   | Capacity | Sub. Div. (ml) | Tolerance ( $\pm$ ml) |
|------------|----------|----------------|-----------------------|
| 141.202.02 | 10       | 0.2            | 0.10                  |
| 141.202.03 | 25       | 0.5            | 0.25                  |
| 141.202.04 | 50       | 1.0            | 0.50                  |
| 141.202.05 | 100      | 1.0            | 0.50                  |
| 141.202.06 | 250      | 2.0            | 1.00                  |
| 141.202.07 | 500      | 5.0            | 2.50                  |
| 141.202.08 | 1000     | 10.0           | 5.00                  |
| 141.202.09 | 2000     | 20.0           | 10.00                 |



**Measuring Cylinders, Round Base with Interchangeable Polythelene stopper, Class A DIN 12685, ISO 4788, Serially numbered with Individual Work Certificate.**

| Cat. No.   | Capacity | Sub. Div. (ml) | Tolerance ( $\pm$ ml) |
|------------|----------|----------------|-----------------------|
| 141.223.02 | 10       | 0.2            | 0.10                  |
| 141.223.03 | 25       | 0.5            | 0.25                  |
| 141.223.04 | 50       | 1.0            | 0.50                  |
| 141.223.05 | 100      | 1.0            | 0.50                  |
| 141.223.06 | 250      | 2.0            | 1.00                  |
| 141.223.07 | 500      | 5.0            | 2.50                  |
| 141.223.08 | 1000     | 10.0           | 5.00                  |
| 141.223.09 | 2000     | 20.0           | 10.00                 |



**Measuring Cylinder Hexagonal Base with Polyethylene stopper, Class A DIN 12685, ISO 4788, Individual Work Certificate, Serially numbered, USPS Standard.**

| Cat. No.   | Capacity | Sub. Div. (ml) | Tolerance ( $\pm$ ml) |
|------------|----------|----------------|-----------------------|
| 142.220.01 | 10       | 0.2            | 0.10                  |
| 142.220.02 | 25       | 0.5            | 0.25                  |
| 142.220.03 | 50       | 1.0            | 0.50                  |
| 142.220.04 | 100      | 1.0            | 0.50                  |
| 142.220.05 | 250      | 2.0            | 1.00                  |
| 142.220.06 | 500      | 5.0            | 2.50                  |
| 142.220.07 | 1000     | 10.0           | 5.00                  |
| 142.220.08 | 2000     | 20.0           | 10.00                 |



# Paramedical S.r.l.

## Cylinders

### Measuring Cylinder Hexagonal Base


with Polyethylene stopper, Class A DIN 12685, ISO 4788  
(With LOT Certificate)

| Cat. No.    | Capacity | Sub. Div.<br>(ml) | Tolerance<br>(± ml) |
|-------------|----------|-------------------|---------------------|
| 142.220.01A | 10       | 0.2               | 0.10                |
| 142.220.02A | 25       | 0.5               | 0.25                |
| 142.220.03A | 50       | 1.0               | 0.50                |
| 142.220.04A | 100      | 1.0               | 0.50                |
| 142.220.05A | 250      | 2.0               | 1.00                |
| 142.220.06A | 500      | 5.0               | 2.50                |
| 142.220.07A | 1000     | 10.0              | 5.00                |
| 142.220.08A | 2000     | 20.0              | 10.00               |

### Measuring Cylinder Hexagonal Base


with Polyethylene stopper, Class A DIN 12685, ISO 4788  
Serially numbered with Individual Work Certificate  
(With LOT Certificate)

| Cat. No.   | Capacity | Sub. Div.<br>(ml) | Tolerance<br>(± ml) |
|------------|----------|-------------------|---------------------|
| 142.223.01 | 10       | 0.2               | 0.10                |
| 142.223.02 | 25       | 0.5               | 0.25                |
| 142.223.03 | 50       | 1.0               | 0.50                |
| 142.223.04 | 100      | 1.0               | 0.50                |
| 142.223.05 | 250      | 2.0               | 1.00                |
| 142.223.06 | 500      | 5.0               | 2.50                |
| 142.223.07 | 1000     | 10.0              | 5.00                |
| 142.223.08 | 2000     | 20.0              | 10.00               |



**Nessler Cylinder**, for colour comparison  
class A, Graduated.


| Cat. No.   | Capacity | Sub. Div. ml. | Tolerance<br>+ ml. |
|------------|----------|---------------|--------------------|
| 143.202.01 | 50       | 25 & 50       | 0.4                |
| 143.202.02 | 100      | 50 & 100      | 0.8                |



Paramedical S.r.l.

[www.paramedical.it](http://www.paramedical.it)


# Paramedical S.r.l.



**SEPARATING FUNNELS**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



**SEPARATING FUNNELS**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.

## Separating & Dropping Funnel



Separating Funnels, with Glass stopcock,  
& Polythelene Stopper, Squibb shape

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 147.202.02 | 50       | 19/26 |
| 147.202.03 | 100      | 19/26 |
| 147.202.04 | 250      | 19/26 |
| 147.202.05 | 500      | 29/32 |
| 147.202.06 | 1000     | 29/32 |
| 147.202.07 | 2000     | 29/32 |



Separating Funnels, Graduated, with  
Glass stopcock, & Polythelene Stopper,  
Squibb shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 147.209.02 | 50       | 19/26 |
| 147.209.03 | 100      | 19/26 |
| 147.209.04 | 250      | 19/26 |
| 147.209.05 | 500      | 29/32 |
| 147.209.06 | 1000     | 29/32 |
| 147.209.07 | 2000     | 29/32 |



Separating Funnels,  
with PTFE Needle Valve &  
Polythelene stopper, Squibb shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 148.202.02 | 50       | 19/26 |
| 148.202.03 | 100      | 19/26 |
| 148.202.04 | 250      | 19/26 |
| 148.202.05 | 500      | 29/32 |
| 148.202.06 | 1000     | 29/32 |
| 148.202.07 | 2000     | 29/32 |

# Paramedical S.r.l.

## Separating & Dropping Funnel

**Separating Funnels, Graduated,**  
with PTFE Needle Valve &  
Polythelene stopper, Squibb shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 148.209.02 | 50       | 19/26 |
| 148.209.03 | 100      | 19/26 |
| 148.209.04 | 250      | 19/26 |
| 148.209.05 | 500      | 29/32 |
| 148.209.06 | 1000     | 29/32 |
| 148.209.07 | 2000     | 29/32 |



**Separating Funnels, with PTFE Key,**  
Stopcock & Polythelene stopper, Squibb shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 149.202.02 | 50       | 19/26 |
| 149.202.03 | 100      | 19/26 |
| 149.202.04 | 250      | 19/26 |
| 149.202.05 | 500      | 29/32 |
| 149.202.06 | 1000     | 29/32 |
| 149.202.07 | 2000     | 29/32 |



**Separating Funnels, Graduated, with PTFE Key,**  
Stopcock & Polythelene stopper, Squibb shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 149.209.02 | 50       | 19/26 |
| 149.209.03 | 100      | 19/26 |
| 149.209.04 | 250      | 19/26 |
| 149.209.05 | 500      | 29/32 |
| 149.209.06 | 1000     | 29/32 |
| 149.209.07 | 2000     | 29/32 |



# Paramedical S.r.l.

## Separating & Dropping Funnel



**Separating Funnel**, with Glass Stopcock & Polythelene stopper, Pear shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 150.202.02 | 50       | 19/26 |
| 150.202.03 | 100      | 19/26 |
| 150.202.04 | 250      | 19/26 |
| 150.202.05 | 500      | 29/32 |
| 150.202.06 | 1000     | 29/32 |
| 150.202.07 | 2000     | 29/32 |



**Separating Funnel**, with PTFE Needle Valve Stopcock & Polythelene stopper, Pear shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 151.202.02 | 50       | 19/26 |
| 151.202.03 | 100      | 19/26 |
| 151.202.04 | 250      | 19/26 |
| 151.202.05 | 500      | 29/32 |
| 151.202.06 | 1000     | 29/32 |
| 151.202.07 | 2000     | 29/32 |



**Separating Funnel**, with PTFE Key, Stopcock & Polythelene stopper, Pear shape.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 152.202.02 | 50       | 19/26 |
| 152.202.03 | 100      | 19/26 |
| 152.202.04 | 250      | 19/26 |
| 152.202.05 | 500      | 29/32 |
| 152.202.06 | 1000     | 29/32 |
| 152.202.07 | 2000     | 29/32 |

# Paramedical S.r.l.

## Separating & Dropping Funnel

**Dropping Funnels, Cylindrical with Polythelene Stopper & Glass Stopcock,**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 153.202.02 | 50       | 19/26 |
| 153.202.03 | 100      | 19/26 |
| 153.202.04 | 250      | 29/32 |
| 153.202.05 | 500      | 29/32 |
| 153.202.06 | 1000     | 29/32 |



**Dropping Funnels, Cylindrical Graduated with Polythelene Stopper and Glass Stopcock.**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 154.202.02 | 50       | 19/26 |
| 154.202.03 | 100      | 19/26 |
| 154.202.04 | 250      | 29/32 |
| 154.202.05 | 500      | 29/32 |
| 154.202.06 | 1000     | 29/32 |



**Dropping Funnels, Cylindrical with Polythelene Stopper & PTFE Needle Valve Stopcock**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 155.202.02 | 50       | 19/26 |
| 155.202.03 | 100      | 19/26 |
| 155.202.04 | 250      | 29/32 |
| 155.202.05 | 500      | 29/32 |
| 155.202.06 | 1000     | 29/32 |





# Paramedical S.r.l.

## Separating & Dropping Funnel



**Dropping Funnel, Cylindrical Graduated with Rotaflow Stopcock, & Polythelene Stopper.**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 156.202.01 | 25       | 14/23 |
| 156.202.02 | 50       | 19/26 |
| 156.202.03 | 100      | 19/26 |
| 156.202.04 | 250      | 29/32 |
| 156.202.05 | 500      | 29/32 |
| 156.202.06 | 1000     | 29/32 |



**Dropping Funnel, Cylindrical with PTFE key & Polythelene Stopper.**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 157.202.01 | 25       | 14/23 |
| 157.202.02 | 50       | 19/26 |
| 157.202.03 | 100      | 19/26 |
| 157.202.04 | 250      | 29/32 |
| 157.202.05 | 500      | 29/32 |
| 157.202.06 | 1000     | 29/32 |



**Dropping Funnel, Cylindrical Graduated with PTFE key & Polythelene Stopper.**

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 158.202.01 | 25       | 14/23 |
| 158.202.02 | 50       | 19/26 |
| 158.202.03 | 100      | 19/26 |
| 158.202.04 | 250      | 29/32 |
| 158.202.05 | 500      | 29/32 |
| 158.202.06 | 1000     | 29/32 |

# Paramedical S.r.l.

## Separating & Dropping Funnel

**Separating Funnel Gilson**  
with Glass stopcock.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 159.202.01 | 50       | 19/26 |
| 159.202.02 | 100      | 19/26 |
| 159.202.03 | 250      | 29/32 |
| 159.202.04 | 500      | 29/32 |
| 159.202.05 | 1000     | 29/32 |
| 159.202.06 | 2000     | 29/32 |



**Separating Funnel Gilson** with  
PTFE Needle Valve stopcock.

| Cat. No.   | Capacity | N/S   |
|------------|----------|-------|
| 160.202.01 | 50       | 19/26 |
| 160.202.02 | 100      | 19/26 |
| 160.202.03 | 250      | 29/32 |
| 160.202.04 | 500      | 29/32 |
| 160.202.05 | 1000     | 29/32 |
| 160.202.06 | 2000     | 29/32 |



**Separating Funnel, Pear shape** with socket, &  
Glass stopcock, with cone & with stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 162.202.02 | 50          | 14/23  | 14/23 |
| 162.202.03 | 50          | 19/26  | 19/26 |
| 162.202.04 | 100         | 14/23  | 14/23 |
| 162.202.05 | 100         | 19/26  | 19/26 |
| 162.202.06 | 250         | 14/23  | 14/23 |
| 162.202.07 | 250         | 19/26  | 19/26 |
| 162.202.08 | 500         | 19/26  | 19/26 |
| 162.202.09 | 500         | 24/29  | 24/29 |
| 162.202.10 | 1000        | 19/26  | 19/26 |
| 162.202.11 | 1000        | 24/29  | 24/29 |



# Paramedical S.r.l.

## Separating & Dropping Funnel



Separating Funnels, Pear shape with Socket, & PTFE Needle Valve stopcock, with cone & with stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 163.202.02 | 50          | 14/23  | 14/23 |
| 163.202.03 | 50          | 19/26  | 19/26 |
| 163.202.04 | 100         | 14/23  | 14/23 |
| 163.202.05 | 100         | 19/26  | 19/26 |
| 163.202.06 | 250         | 14/23  | 14/23 |
| 163.202.07 | 250         | 19/26  | 19/26 |
| 163.202.08 | 500         | 19/26  | 19/26 |
| 163.202.09 | 500         | 24/29  | 24/29 |
| 163.202.10 | 1000        | 19/26  | 19/26 |
| 163.202.11 | 1000        | 24/29  | 24/29 |



Separating Funnels, Pear shape with socket, & Screw Type PTFE Key stopcock, with cone & with stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 164.202.02 | 50          | 14/23  | 14/23 |
| 164.202.03 | 50          | 19/26  | 19/26 |
| 164.202.04 | 100         | 14/23  | 14/23 |
| 164.202.05 | 100         | 19/26  | 19/26 |
| 164.202.06 | 250         | 14/23  | 14/23 |
| 164.202.07 | 250         | 19/26  | 19/26 |
| 164.202.08 | 500         | 19/26  | 19/26 |
| 164.202.09 | 500         | 24/29  | 24/29 |
| 164.202.10 | 1000        | 19/26  | 19/26 |
| 164.202.11 | 1000        | 24/29  | 24/29 |



Dropping Funnels, Cylindrical, with Socket & Glass Stopcock Stem with cone & with Stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 165.202.02 | 50          | 14/23  | 14/23 |
| 165.202.03 | 100         | 14/23  | 14/23 |
| 165.202.04 | 100         | 19/26  | 19/26 |
| 165.202.05 | 250         | 19/26  | 19/26 |
| 165.202.06 | 500         | 19/26  | 19/26 |
| 165.202.07 | 1000        | 19/26  | 19/26 |

# Paramedical S.r.l.

## Separating & Dropping Funnel

**Dropping Funnels, Cylindrical,**  
with Socket & PTFE Needle Valve Stopcock,  
Stem with cone & with Stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 166.202.02 | 50          | 14/23  | 14/23 |
| 166.202.03 | 100         | 14/23  | 14/23 |
| 166.202.04 | 100         | 19/26  | 19/26 |
| 166.202.05 | 250         | 19/26  | 19/26 |
| 166.202.06 | 500         | 19/26  | 19/26 |
| 166.202.07 | 1000        | 19/26  | 19/26 |



**Dropping Funnels, Cylindrical,** with Socket,  
Screw Type PTFE Key Stopcock, Stem  
with cone but without Stopper.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 167.202.02 | 50          | 14/23  | 14/23 |
| 167.202.03 | 100         | 14/23  | 14/23 |
| 167.202.04 | 100         | 19/26  | 19/26 |
| 167.202.05 | 250         | 19/26  | 19/26 |
| 167.202.06 | 500         | 19/26  | 19/26 |
| 167.202.07 | 1000        | 19/26  | 19/26 |



**Pressure Equalising Funnels, Cylindrical,**  
with Socket, Glass Stopcock and stem with cone.

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 168.202.01 | 50          | 14/23  | 14/23 |
| 168.202.02 | 100         | 19/26  | 19/26 |
| 168.202.03 | 250         | 19/26  | 19/26 |
| 168.202.04 | 250         | 24/29  | 24/29 |
| 168.202.05 | 500         | 19/26  | 19/26 |
| 168.202.06 | 500         | 24/29  | 24/29 |



# Paramedical S.r.l.

## Separating & Dropping Funnel



**Pressure Equalising Funnels, Cylindrical, with Socket & PTFE Key Glass Stopcock and stem with cone.**

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 169.202.01 | 50          | 14/23  | 14/23 |
| 169.202.02 | 100         | 19/26  | 19/26 |
| 169.202.03 | 250         | 19/26  | 19/26 |
| 169.202.04 | 250         | 24/29  | 24/29 |
| 169.202.05 | 500         | 19/26  | 19/26 |
| 169.202.06 | 500         | 24/29  | 24/29 |



**Pressure Equalising Funnels, Pear Shape with Socket, Glass Stopcock & stem with cone.**

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 170.202.01 | 50          | 14/23  | 14/23 |
| 170.202.02 | 100         | 19/26  | 19/26 |
| 170.202.03 | 250         | 19/26  | 19/26 |
| 170.202.04 | 250         | 24/29  | 24/29 |
| 170.202.05 | 500         | 19/26  | 19/26 |
| 170.202.06 | 500         | 24/29  | 24/29 |




**Pressure Equalising Funnels, Cylindrical, with Socket & PTFE Key Glass Stopcock and stem with cone.**

| Cat. No.   | Capacity ml | Socket | Cone  |
|------------|-------------|--------|-------|
| 171.202.01 | 50          | 14/23  | 14/23 |
| 171.202.02 | 100         | 19/26  | 19/26 |
| 171.202.03 | 250         | 19/26  | 19/26 |
| 171.202.04 | 250         | 24/29  | 24/29 |
| 171.202.05 | 500         | 19/26  | 19/26 |
| 171.202.06 | 500         | 24/29  | 24/29 |

Paramedical S.r.l.

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.




**CONDENSERS / ASSEMBLIES**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



Separator  
Back



**CONDENSERS / ASSEMBLIES**

[www.paramedical.it](http://www.paramedical.it)



# Paramedical S.r.l.

## Condensers

### Air Condensers

| Cat. No.   | Socket | Cone  | Effective Length (mm.) |
|------------|--------|-------|------------------------|
| 181.202.01 | 14/23  | 14/23 | 200                    |
| 181.202.02 | 19/26  | 19/26 | 200                    |
| 181.202.03 | 24/29  | 24/29 | 250                    |
| 181.202.04 | 19/26  | 19/26 | 400                    |
| 181.202.05 | 24/29  | 24/29 | 500                    |
| 181.202.06 | 34/35  | 34/35 | 500                    |
| 181.202.07 | 19/26  | 19/26 | 600                    |
| 181.202.08 | 24/29  | 24/29 | 750                    |
| 181.202.09 | -      | 19/26 | 750                    |
| 181.202.10 | -      | 24/29 | 750                    |
| 181.202.11 | -      | 19/26 | 1000                   |
| 181.202.12 | -      | 24/29 | 1000                   |



### Liebig Condensers

| Cat. No.    | Socket | Cone  | Effective Length (mm.) |
|-------------|--------|-------|------------------------|
| 182.202.01  | 14/23  | 14/23 | 160                    |
| 182.202.01A | 19/26  | 19/26 | 160                    |
| 182.202.02  | 19/26  | 19/26 | 250                    |
| 182.202.03  | 24/29  | 24/29 | 250                    |
| 182.202.04  | 19/26  | 19/26 | 300                    |
| 182.202.05  | 24/29  | 24/29 | 300                    |
| 182.202.06  | 29/32  | 29/32 | 300                    |
| 182.202.10  | 24/29  | 24/29 | 400                    |
| 182.202.11  | 29/32  | 29/32 | 400                    |



### Coil Condensers, Graham, Coiled Distillate Type

| Cat. No.    | Socket | Cone  | Effective Length (mm.) |
|-------------|--------|-------|------------------------|
| 183.202.01  | 14/23  | 14/23 | 160                    |
| 183.202.01A | 19/26  | 19/26 | 160                    |
| 183.202.02  | 24/29  | 24/29 | 160                    |
| 183.202.03  | 19/26  | 19/26 | 250                    |
| 183.202.04  | 24/29  | 24/29 | 250                    |
| 183.202.04A | 29/32  | 29/32 | 250                    |
| 183.202.05  | 24/29  | 24/29 | 300                    |
| 183.202.06  | 29/32  | 29/32 | 300                    |
| 183.202.07  | 29/32  | 29/32 | 400                    |



# Paramedical S.r.l.

## Condensers



### Allihn Condensers (Bulb Condencer)

| Cat. No.   | Socket | Cone  | Effective Length (mm.) |
|------------|--------|-------|------------------------|
| 190.202.05 | 14/23  | 14/23 | 160                    |
| 190.202.06 | 19/26  | 19/26 | 160                    |
| 190.202.07 | 14/23  | 14/23 | 250                    |
| 190.202.08 | 19/26  | 19/26 | 250                    |
| 190.202.09 | 24/29  | 24/29 | 250                    |
| 190.202.10 | 24/29  | 24/29 | 300                    |
| 190.202.11 | 29/32  | 29/32 | 300                    |
| 190.202.12 | 24/29  | 24/29 | 400                    |
| 190.202.13 | 29/32  | 29/32 | 400                    |



### Allihin Condenser For Soxhlet

| Cat. No.   | Cone  | Extractor ML |
|------------|-------|--------------|
| 191.202.01 | 45/40 | 100-250      |
| 191.202.02 | 60/46 | 500          |
| 191.202.03 | 71/51 | 1000         |



### Dimroth Condenser for Soxhlet

| Cat. No.   | Cone  | Extractor ML |
|------------|-------|--------------|
| 192.202.01 | 45/40 | 100-250      |
| 192.202.02 | 60/46 | 500          |
| 192.202.03 | 71/51 | 1000         |

### 29 GU/Organic Chemistry set

This set is ideal for introducing students to the principal techniques of preparative organic chemistry. Although the set is very simple a surprising number of preparations on the 30 g scale can be carried out.



| Cat. No.   | Description                                      |
|------------|--|
| 202.202.01 | Complete set comprising<br>5 items of Glassware. |

| Item No. | Components               | 29 BU/M |
|----------|--------------------------|---------|
| 1        | Pear shaped flask, 50 ml | 1       |
| 2        | Still head               | 1       |
| 3        | Liebig condenser         | 1       |
| 4        | Screw cap adapter        | 1       |
| 5        | Receiver adapter         | 1       |

### 27 GU Organic Chemistry Set

A highly popular set in schools, colleges and universities. It has been purposely designed to cover the essential requirements for the teaching of organic chemistry and is suitable for preparations up to 30g. This is a set which is difficult to beat for versatility.

| Cat. No.   | Description                                      |
|------------|--|
| 203.202.01 | Complete set comprising<br>9 items of Glassware. |

| Item No. | Components                                    | 27 BU/M |
|----------|---|---------|
| 1        | Pear shaped flask, 50 ml                      | 1       |
| 2        | Still head                                    | 1       |
| 3        | Liebig condenser                              | 1       |
| 4        | Screw cap adapter                             | 1       |
| 5        | Receiver adapter                              | 1       |
| 6        | Air leak/ steam inlet tube                    | 1       |
| 7        | Dropping funnel, 50 ml<br>with GP Rotaflo tap | 1       |
| 8        | Stopper                                       | 1       |
| 9        | Thermometer                                   | 1       |



# Paramedical S.r.l.

## Utility Sets

### 34 GU Organic Chemistry Set.

For student use in preparative organic chemistry up to the 150 g scale, this includes all the necessary equipment to allow a wide range of preparations to be carried out.

It is also invaluable for industrial laboratories where the amount of preparative work is not great and may occur at infrequent intervals. For such applications, this set has the advantage of covering an extensive field of work and occupying little space when not in use.

| Cat. No.   | Description                                       |
|------------|---|
| 207.202.01 | Complete set comprising<br>16 items of Glassware. |



| Item No. | Components                | Socket size | Cone Size |
|----------|---------------------------|-------------|-----------|
| 1        | Still head                | 14/23       | 19/26     |
| 2        | Receiver                  | 19/26       | 24/29     |
| 3        | Air leak/steam inlet tube | -           | 19/26     |
| 4        | Liebig condenser          | 19/26       | 19/26     |
| 5        | Dropping funnel, 100 ml   | 19/26       | 19/26     |
| 6        | Reducing adapter          | 19/26       | 24/29     |
| 7        | Multiple adapter          | 19/26       | 24/29     |
| 8        | Flask, R.B., 50 ml        | 24/29       | -         |
| 9        | Flask, Erlenmeyer, 250 ml | 24/29       | -         |
| 10       | Flask, R.B., 250 ml       | 24/29       | -         |
| 11       | Stopper                   | -           | 19/26     |
| 12       | Stopper                   | -           | 19/26     |
| 13       | Thermometer Pocket        | -           | 14/23     |
| 14       | Receiver adapter          | 19/26       | -         |
| 15       | Flask, R.B., 100 ml       | 24/29       | -         |
| 16       | Stopper                   | -           | 24/29     |

# Paramedical S.r.l.

## Extraction Apparatus



**Soxhlet Extraction Apparatus,**  
consists of Flask, Extractor and condenser.

| Cat. No.   | Extractor cap. (ml) | Extractor Socket | Extractor Cone | Flask Cap | Condensor Type |
|------------|---------------------|------------------|----------------|-----------|----------------|
| 210.202.04 | 100                 | 45/40            | 29/32          | 250       | ALLIHIN        |
| 210.202.05 | 150                 | 45/40            | 29/32          | 250       | ALLIHIN        |
| 210.202.06 | 250                 | 45/40            | 29/32          | 500       | ALLIHIN        |
| 210.202.08 | 500                 | 60/46            | 29/32          | 1000      | ALLIHIN        |
| 210.202.09 | 1000                | 71/55            | 29/32          | 2000      | ALLIHIN        |
| 210.202.12 | 100                 | 45/40            | 29/32          | 250       | DIMROTH        |
| 210.202.13 | 150                 | 45/40            | 29/32          | 250       | DIMROTH        |
| 210.202.14 | 250                 | 45/40            | 29/32          | 500       | DIMROTH        |
| 210.202.15 | 500                 | 60/46            | 29/32          | 1000      | DIMROTH        |
| 210.202.16 | 1000                | 71/55            | 29/32          | 2000      | DIMROTH        |



**Spare Extractor for Soxhlet Apparatus.**

| Cat. No.   | Capacity (ml) | Socket | Cone  |
|------------|---------------|--------|-------|
| 211.202.04 | 100           | 45/40  | 29/32 |
| 211.202.05 | 150           | 45/40  | 29/32 |
| 211.202.06 | 250           | 45/40  | 29/32 |
| 211.202.08 | 500           | 60/46  | 29/32 |
| 211.202.09 | 1000          | 71/51  | 29/32 |

Paramedical S.r.l.

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



Separator  
Front



**GENERAL GLASSWARE**

[www.paramedical.it](http://www.paramedical.it)

# Paramedical S.r.l.



Separator  
Back



**GENERAL GLASSWARE**

[www.paramedical.it](http://www.paramedical.it)



# Paramedical S.r.l.

## General Labware

**Beaker, Low form** with graduation and spout  
DIN 12331, ISO 3819

| Cat. No.   | Capacity (ml) | D. (mm) | H. (mm) |
|------------|---------------|---------|---------|
| 229.202.01 | 5             | 22      | 30      |
| 229.202.02 | 10            | 26      | 35      |
| 229.202.03 | 25            | 34      | 50      |
| 229.202.04 | 50            | 42      | 60      |
| 229.202.05 | 100           | 50      | 70      |
| 229.202.06 | 150           | 60      | 80      |
| 229.202.07 | 250           | 70      | 95      |
| 229.202.08 | 400           | 80      | 110     |
| 229.202.09 | 600           | 90      | 125     |
| 229.202.10 | 1000          | 105     | 145     |
| 229.202.11 | 2000          | 132     | 185     |



**Beaker, Tall form** with graduation and spout  
DIN 12331, ISO 3819

| Cat. No.   | Capacity (ml) | D. (mm) | H. (mm) |
|------------|---------------|---------|---------|
| 230.202.01 | 25            | 38      | 70      |
| 230.202.02 | 50            | 38      | 70      |
| 230.202.03 | 100           | 48      | 80      |
| 230.202.04 | 150           | 54      | 95      |
| 230.202.05 | 250           | 60      | 120     |



**Erlenmeyer Flasks, Narrow Neck**  
with graduation DIN 12380, ISO 1773

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 231.202.01 | 25            | 42      | 22       | 75      |
| 231.202.02 | 50            | 51      | 22       | 90      |
| 231.202.03 | 100           | 64      | 22       | 105     |
| 231.202.04 | 250           | 85      | 34       | 145     |
| 231.202.05 | 500           | 105     | 34       | 180     |
| 231.202.06 | 1000          | 131     | 42       | 220     |
| 231.202.07 | 2000          | 166     | 50       | 280     |



# Paramedical S.r.l.

## General Labware



**Erlenmeyer Flasks, Wide Neck**  
with graduation DIN 12385.

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 232.202.01 | 25            | 42      | 31       | 70      |
| 232.202.02 | 50            | 51      | 34       | 85      |
| 232.202.03 | 100           | 64      | 34       | 105     |
| 232.202.04 | 150           | 64      | 34       | 105     |
| 232.202.05 | 250           | 85      | 50       | 140     |
| 232.202.06 | 300           | 85      | 50       | 140     |
| 232.202.07 | 500           | 105     | 50       | 175     |
| 232.202.08 | 1000          | 131     | 50       | 220     |
| 232.202.09 | 2000          | 153     | 72       | 276     |



**Flask Round Bottom narrow neck,**  
with beaded rim DIN 12347, ISO 1773

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 233.202.01 | 50            | 51      | 26       | 95      |
| 233.202.02 | 100           | 64      | 26       | 110     |
| 233.202.03 | 250           | 85      | 34       | 144     |
| 233.202.04 | 500           | 105     | 34       | 175     |
| 233.202.05 | 1000          | 131     | 42       | 200     |
| 233.202.06 | 2000          | 166     | 42       | 260     |



**Flask Round Bottom wide neck,**  
with beaded rim DIN 12347, ISO 1773

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 234.202.01 | 50            | 51      | 34       | 105     |
| 234.202.02 | 100           | 64      | 35       | 110     |
| 234.202.03 | 250           | 85      | 51       | 145     |
| 234.202.04 | 500           | 105     | 50       | 168     |
| 234.202.05 | 1000          | 131     | 50       | 210     |
| 234.202.07 | 2000          | 166     | 76       | 260     |

**Flask Flat Bottom, narrow neck,**  
with beaded rim DIN 12347, ISO 1773

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 235.202.01 | 50            | 51      | 22       | 100     |
| 235.202.02 | 100           | 64      | 22       | 110     |
| 235.202.03 | 250           | 85      | 35       | 140     |
| 235.202.04 | 500           | 105     | 34       | 171     |
| 235.202.05 | 1000          | 131     | 42       | 200     |
| 235.202.06 | 2000          | 166     | 42       | 250     |



**Flask Flat Bottom, wide neck,**  
with beaded rim DIN 12347

| Cat. No.   | Capacity (ml) | D. (mm) | D1. (mm) | H. (mm) |
|------------|---------------|---------|----------|---------|
| 236.202.01 | 50            | 51      | 35       | 100     |
| 236.202.02 | 100           | 64      | 34       | 110     |
| 236.202.03 | 250           | 85      | 50       | 140     |
| 236.202.04 | 500           | 103     | 50       | 170     |
| 236.202.05 | 1000          | 131     | 50       | 200     |
| 236.202.06 | 2000          | 166     | 50       | 250     |



**Funnel Filtering, 60° angle with stem.**

| Cat. No.   | Diameter (mm) |
|------------|---------------|
| 238.202.01 | 25            |
| 238.202.02 | 35            |
| 238.202.03 | 38            |
| 238.202.04 | 40            |
| 238.202.05 | 50            |
| 238.202.06 | 55            |
| 238.202.07 | 65            |
| 238.202.08 | 70            |
| 238.202.09 | 75            |
| 238.202.10 | 80            |
| 238.202.11 | 100           |
| 238.202.12 | 125           |
| 238.202.13 | 150           |



# Paramedical S.r.l.

## General Labware



### Funnel Powder

| Cat. No.     | N/S Size | Approx. Funnel Diameter |
|--------------|----------|-------------------------|
| 238.202.01 P | 14/23    | 45 mm                   |
| 238.202.02 P | 14/23    | 70 mm                   |
| 238.202.03 P | 29/32    | 70 mm                   |
| 238.202.04 P | 29/32    | 80 mm                   |
| 238.202.05 P | 14/23    | 100 mm                  |
| 238.202.06 P | 29/32    | 100 mm                  |



**Weighing Scoops**, with open tubular arm, suitable for use when small quantity of dyes or powders are to be weighed

| Cat. No.   | Capacity |
|------------|----------|
| 245.202.01 | 3 ml     |
| 245.202.02 | 6 ml     |
| 245.202.03 | 10 ml    |



**Dishes, Crystallizing**, without Spout

| Cat. No.   | O.D. x Height (mm) |
|------------|--------------------|
| 246.202.01 | 40 x 25            |
| 246.202.02 | 50 x 30            |
| 246.202.03 | 60 x 35            |
| 246.202.04 | 70 x 40            |
| 246.202.05 | 80 x 45            |
| 246.202.06 | 95 x 55            |

# Paramedical S.r.l.

## General Labware

### Dishes, Crystallizing, with Spout

| Cat. No.   | O.D. x Height (mm) |
|------------|--------------------|
| 246.202.1S | 40 x 25            |
| 246.202.2S | 50 x 30            |
| 246.202.3S | 60 x 35            |
| 246.202.4S | 70 x 40            |
| 246.202.5S | 80 x 45            |
| 246.202.6S | 95 x 55            |



### Dessicator with Lid, Plain, Die pressed, Neutral Glass with Porcelain perforated plate.

| Cat. No.   | I.D. (mm) |
|------------|-----------|
| 249.202.01 | 150       |
| 249.202.02 | 210       |
| 249.202.03 | 250       |
| 249.202.04 | 300       |



### Dessicator with Lid, Plain, Die pressed, Neutral Glass with Porcelain perforated plate and glass sleeve

| Cat. No.   | I.D. (mm) |
|------------|-----------|
| 250.202.01 | 150       |
| 250.202.02 | 210       |
| 250.202.03 | 250       |
| 250.202.04 | 300       |



# Paramedical S.r.l.

## Sintered Ware

### Porosity Grades and their General Use

| Porosity Grade | Pore Size | General Use  |
|----------------|-----------|--|
| G-0            | 150-250   | Coarse Filtration, Filtration, Gas dispersion and support for other filter material.   |
| G-1            | 90-150    | Coarse Precipitate, Filtration, Gas dispersion, Coarse grain material filtration.  |
| G-2            | 40-90     | Medium and Crystalline precipitate filtration, medium filtration and washing of glass.   |
| G-3            | 15-40     | Fine Gas filtration and dispersion, mercury filtration, fine grain material filtration, collection of fine precipitates, Analytical work with medium precipitates. |
| G-4            | 5-15      | Valves for mercury collection of very fine precipitates. Analytical work with fine precipitates.   |



**Crucible, Gooch type with Sintered Disc** of porosity G-0 or G-1 or G-2 or G-3 or G-4.

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 255.202.01 | 15            |
| 255.202.02 | 30            |
| 255.202.03 | 50            |



**Buchner Funnel, with Sintered Disc of Porosity** G-0 or G-1 or G-2 or G-3 or G-4, Plain stem.

| Cat. No.   | Capacity (ml) | Disc Dia (mm) |
|------------|---------------|---------------|
| 256.202.01 | 35            | 30            |
| 256.202.02 | 80            | 40            |
| 256.202.03 | 200           | 65            |
| 256.202.04 | 500           | 90            |
| 256.202.05 | 1000          | 120           |



**Buchner Funnel, with Sintered Disc of Porosity** G-0 or G-1 or G-2 or G-3 or G-4, cone at stem.

| Cat. No.   | Capacity (ml) | Disc Dia (mm) | Cone                    |
|------------|---------------|---------------|-------------------------|
| 257.202.01 | 35            | 30            | 14/23 or 19/26          |
| 257.202.02 | 80            | 40            | 14/23 or 19/26          |
| 257.202.03 | 200           | 65            | 19/26 or 24/29          |
| 257.202.04 | 500           | 90            | 19/26 or 24/29 or 29/32 |
| 257.202.05 | 1000          | 120           | 19/26 or 24/29 or 29/32 |

# Paramedical S.r.l.

| Cat. No.          | Item  |
|-------------------|---|
| <u>258.202.01</u> | <b>Funnel Filtration System</b><br>for 47 mm Diameter Membranes |



| Cat. No. | Item |
|----------|------|
|----------|------|

259.202.01 **Funnel Filtration Holder**  
for 25 mm Membranes

| Cat. No.          | Accessories                |
|-------------------|----------------------------|
| <u>259.245.01</u> | Funnel 15 ml               |
| <u>259.245.02</u> | Sintered Base with Stopper |
| <u>259.245.03</u> | Clamp                      |
| <u>259.245.04</u> | Filter Flask 125ml         |



| Cat. No. | Item |
|----------|------|
|----------|------|

260.202.01 **Funnel Filtration Holder**  
for 47 mm Membranes

| Cat. No.          | Accessories                |
|-------------------|----------------------------|
| <u>260.245.01</u> | Funnel 300 ml              |
| <u>260.245.02</u> | Sintered Base with Stopper |
| <u>260.245.03</u> | Clamp                      |
| <u>260.245.04</u> | Filter Flask 1000ml        |



# Paramedical S.r.l.

## Bottles



### Weighing Bottles, Ground in stopper.

| Cat. No.   | O.D. x Ht. (mm) |            | Capacity (ml) |
|------------|-----------------|------------|---------------|
| 264.202.01 | 40 x 30         | Squat Form | 20            |
| 264.202.02 | 50 x 25         | "          | 20            |
| 264.202.03 | 50 x 35         | "          | 35            |
| 264.202.04 | 50 x 50         | "          | 50            |
| 264.202.05 | 60 x 30         | "          | 40            |
| 264.202.06 | 20 x 40         | Tall Form  | 5             |
| 264.202.07 | 25 x 50         | "          | 15            |
| 264.202.08 | 30 x 60         | "          | 25            |
| 264.202.09 | 40 x 80         | "          | 60            |



### Pycnometers to Gay - Lussac, Calibrated

| Cat. No.   | Capacity (ml) | Tolerance ( $\pm$ ml) |
|------------|---------------|-----------------------|
| 268.202.01 | 10            | 1.0                   |
| 268.202.02 | 25            | 2.0                   |
| 268.202.03 | 50            | 3.0                   |
| 268.202.04 | 100           | 3.0                   |



### Pycnometers to Gay - Lussac, Uncalibrated

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 269.202.01 | 10            |
| 269.202.02 | 25            |
| 269.202.03 | 50            |
| 269.202.04 | 100           |



### Reagent Bottles, Narrow Mouth Boro 3.3, with Hollow Stopper

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 272.202.01 | 30            |
| 272.202.02 | 60            |
| 272.202.03 | 125           |
| 272.202.04 | 250           |
| 272.202.05 | 500           |
| 272.202.06 | 1000          |
| 272.202.07 | 2000          |



### Reagent Bottles, Amber, Boro 3.3 with interchangeable hollow stopper.

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 273.202.01 | 30            |
| 273.202.02 | 60            |
| 273.202.03 | 125           |
| 273.202.04 | 250           |
| 273.202.05 | 500           |
| 273.202.06 | 1000          |
| 273.202.07 | 2000          |



### Dropping Bottles, Boro 3.3 fitted with ground in interchangeable stopper and rubber teat.

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 279.202.01 | 30            |
| 279.202.02 | 60            |
| 279.202.03 | 120           |
| 279.202.04 | 250           |



# Paramedical S.r.l.

## Bottles



**Amber Dropping Bottles, Boro 3.3,**  
fitted with ground in interchangeable  
stopper and rubber teat.

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 279.229.01 | 30            |
| 279.229.02 | 60            |
| 279.229.03 | 120           |
| 279.229.04 | 250           |



**Mac-Cartney Bottles,**  
Complete with Aluminium Cap.

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 283.202.01 | 15            |
| 283.202.02 | 30            |
| 283.202.03 | 60            |



**Head for Gas Bottles**

| Cat. No.   | Capacity |
|------------|----------|
| 285.202.01 | 125 ml   |
| 285.202.02 | 250 ml   |
| 285.202.03 | 500 ml   |

### Gas Washing Bottle, Interchangeable joints

| Cat. No.   | Capacity<br>(ml) |
|------------|------------------|
| 286.202.01 | 125              |
| 286.202.02 | 250              |
| 286.202.03 | 500              |



### Sintered Wash Bottles Head

| Cat. No.   | Capacity |
|------------|----------|
| 287.202.01 | 125 ml   |
| 287.202.02 | 250 ml   |
| 287.202.03 | 500 ml   |



# Paramedical S.r.l.

## Stopcocks



**Rotaflow Stopcock, Straight**

| Cat. No.   | Bore Size |
|------------|-----------|
| 299.202.01 | 0-3       |
| 299.202.02 | 0-6       |



**PTFE Key Stopcock, Straight**

| Cat. No.   | Size | Bore Size |
|------------|------|-----------|
| 300.202.01 | 12.5 | 2.5       |
| 300.202.02 | 14.5 | 2.5       |
| 300.202.03 | 14.5 | 4.0       |
| 300.202.04 | 18.8 | 6.0       |



**Glass Stopcock, Straight**

| Cat. No.   | Size | Bore Size |
|------------|------|-----------|
| 301.202.01 | 12.5 | 2.5       |
| 301.202.02 | 14.5 | 2.5       |
| 301.202.03 | 14.5 | 4.0       |
| 301.202.04 | 18.8 | 6.0       |

### Rotaflow stopcock for Burette

| Cat. No.   | Bore Size |
|------------|-----------|
| 302.202.01 | 0-3       |



### PTFE key stopcock for Burette

| Cat. No.   | Size | Bore Size |
|------------|------|-----------|
| 303.202.01 | 12.5 | 2.5       |



### Glass key stopcock for Burette

| Cat. No.   | Size | Bore Size |
|------------|------|-----------|
| 304.202.01 | 12.5 | 2.5       |



# Paramedical S.r.l.

## Stopcocks



### Rotaflow Stopcock 90°

| Cat. No.   | Bore Size |
|------------|-----------|
| 305.202.01 | 0-3       |
| 305.202.02 | 0-6       |



### Rotaflow Stopcock for Automatic Burette

| Cat. No.   | Capacity (ml) |
|------------|---------------|
| 306.202.01 | 0-3           |

## INDEX

### A

#### ADAPTERS

|                                 |       |
|---------------------------------|-------|
| Reduction                       | 5     |
| Expansion                       | 5     |
| Multiple with Two Neck Parallel | 5     |
| Multiple with Two Neck Vertical | 6     |
| Multiple with Three Neck        | 6     |
| Swan Neck                       | 6     |
| Receiver Delivery               | 7     |
| Receiver Straight               | 7     |
| Receiver Bend with Vent         | 7     |
| Receiver Bend with Vacuum       | 8     |
| Receiver Straight with Vacuum   | 8     |
| Receiver Inclined 105°          | 8     |
| Receiver Multiple Connection    | 9     |
| Receiver Plain Bend             | 9     |
| Receiver Bend slopping          | 9     |
| Receiver Bend vertical          | 10    |
| Cone to Rubber Tubing           | 12,13 |
| Socket to Rubber Tubing         | 12,13 |
| Cone with Stem                  | 13    |
| Cone with T Connection          | 14    |
| Air Leak Tube                   | 15    |
| Allihn Condensers               | 54    |
| Air Condensers                  | 53    |
| Amber colour Flask Volumetric   | 37,38 |
| Amber colour Reagent Bottle     | 66    |
| Amber colour Dropping Bottle    | 67    |

### B

#### BURETTES

|                              |       |
|------------------------------|-------|
| Straight bore Glass Stopcock | 27,28 |
| Screw type Rotaflow          | 29,30 |
| Straight Bore PTFE key       | 31,32 |
| Without Stopcock             | 33    |
| Automatic                    | 33    |

#### BEAKER

|                |    |
|----------------|----|
| Low form       | 58 |
| Tall form      | 58 |
| Buchner Funnel | 63 |

#### BOTTLES

|                                |    |
|--------------------------------|----|
| Weighing Bottles               | 65 |
| Specific Gravity (Pycnometers) | 65 |

|                  |    |
|------------------|----|
| Reagent          | 66 |
| Dropping Bottle  | 66 |
| Mac Cartney      | 67 |
| Gas Wash Bottles | 68 |

### C

#### CONE

|                  |    |
|------------------|----|
| Single           | 1  |
| With tip single  | 1  |
| Cone full length | 2  |
| Plain Double     | 3  |
| Claisen Heads    | 10 |

#### CONDENSERS

|             |    |
|-------------|----|
| Air         | 53 |
| Liebig      | 53 |
| Coil Graham | 53 |
| Allihn      | 54 |
| Dimroth     | 54 |

### D

|                      |             |
|----------------------|-------------|
| Drying Tube          | 14          |
| Dropping Funnels     | 47,48,50,51 |
| Dimroth Condensers   | 54          |
| Dishes Crystallizing | 61,62       |
| Dessicator with Lid  | 62          |

### E

|                   |          |
|-------------------|----------|
| Erlenmeyer Flasks | 20,58,59 |
|-------------------|----------|

### F

#### FLASK

|                                  |       |
|----------------------------------|-------|
| Round Bottom                     | 16,59 |
| Flat Bottom                      | 17,60 |
| Round Bottom Two Neck            | 17    |
| Round Bottom Three Neck at Angle | 18    |
| Round Bottom Parallel Three Neck | 18    |
| Pear Shape Single Neck           | 19    |
| Pear Shape Two Neck              | 19    |
| Evaporating                      | 19    |
| Kjeldahl                         | 20,22 |
| Conical                          | 20    |

# Paramedical S.r.l.

|                        |       |
|------------------------|-------|
| Iodine                 | 20    |
| Distillation Side Tube | 21    |
| Buckner                | 21    |
| Conical Screw Cap      | 21    |
| Erlenmeyer Stoppered   | 22    |
| Erlenmeyer             | 58,59 |
| Volumetric             | 36,37 |
| Volumetric with Rim    | 38    |

## FUNNELS

|                          |                |
|--------------------------|----------------|
| Separating Funnels       | 44,45,46,49,50 |
| Dropping Funnels         | 47,48,50,51    |
| Funnels Filter           | 60             |
| Powder                   | 61             |
| Funnel Filtration System | 64             |

## G

|                 |       |
|-----------------|-------|
| GU Utility Set  | 55,56 |
| Gas Wash Bottle | 68    |

## J

|                    |   |
|--------------------|---|
| Joint clip - Metal | 3 |
|--------------------|---|

## K

|          |       |
|----------|-------|
| Kjeldhal | 20,22 |
|----------|-------|

## L

|                   |    |
|-------------------|----|
| Liebig Condensers | 53 |
|-------------------|----|

## M

|                     |       |
|---------------------|-------|
| Measuring Cylinders | 39-43 |
| Mac Cartney bottles | 67    |

## N

|                  |    |
|------------------|----|
| Nessler Cylinder | 43 |
|------------------|----|

## O

|                        |    |
|------------------------|----|
| Organic Chemistry Sets |    |
| 29 GU                  | 55 |
| 27 GU                  | 55 |
| 34 GU                  | 56 |

## P

### PIPETTES

|                            |       |
|----------------------------|-------|
| Volumetric                 | 34    |
| Measuring/Graduated        | 35    |
| Pressure Equalising Funnel | 51,52 |
| Porosity Grades            | 63    |
| Powder Funnel              | 61    |
| Pycnometer Gas Lussac      | 65    |

## R

|   |          |
|---|----------|
| Receiver Delivery Adaptor                 | 7        |
| Receiver Adaptor Straight                 | 7        |
| Receiver Bend with Vent Adaptor           | 7        |
| Receiver Bend Adaptor                     | 8        |
| Receiver Straight Adaptor                 | 8        |
| Receiver Inclined at 105° Adaptor         | 8        |
| Receiver with Multiple Connection Adaptor | 9        |
| Receiver Plain Bend Adaptor               | 9        |
| Recovery Bend Sloping Adaptor             | 9        |
| Receiver Bend Vertical                    | 10       |
| Rotaflow Stopcock                         | 69,70,71 |

## S

### Socket

|                      |   |
|----------------------|---|
| Single               | 1 |
| Full length          | 2 |
| Double               | 2 |
| Spherical Joint Ball | 3 |
| Spherical Cup        | 3 |

### Stopper

|                   |    |
|-------------------|----|
| Hollow            | 4  |
| Solid             | 4  |
| Swan Neck Adaptor | 6  |
| Still Head Plain  | 10 |



# Paramedical S.r.l.

## Splash Head

|                              |    |
|------------------------------|----|
| Vertical Head                | 11 |
| Pear shape Vertical          | 11 |
| Pear shape Sloping           | 11 |
| Steam Distillation Head      | 12 |
| Simple Glands                | 15 |
| Soxhlet Extraction Apparatus | 57 |

## Stopcocks

|                                |          |
|--------------------------------|----------|
| Rotaflo                        | 69,70,71 |
| PTFE key                       | 69,70    |
| Glass key                      | 69,70    |
| Sintered Glassware             | 63       |
| Spare Head for Gas Wash Bottle | 67,68    |

## T

|                    |    |
|--------------------|----|
| Thermometer Pocket | 15 |
|--------------------|----|

## TUBES

|                                |          |
|--------------------------------|----------|
| Air leak/Gas Inlet Tube        | 15       |
| Test Tube with Joint & Stopper | 24       |
| Culture Media Round Bottom     | 23       |
| Culture Media Flat Bottom      | 23       |
| Centrifuge                     | 23,24    |
| Test Tube                      | 24,25,26 |

## U

|                        |    |
|------------------------|----|
| U-Tube with two socket | 14 |
|------------------------|----|

## W

|                  |    |
|------------------|----|
| Weighing Scoops  | 61 |
| Weighing Bottles | 65 |